

LDV is a division of SAIC Motor, which is a Fortune Global 500 company and the 84th largest company in the world¹. SAIC Motor sells over 5 million vehicles annually and has joint ventures with Volkswagen and General Motors. In 2009 SAIC Motor acquired the commercial vehicles division of British Motor Corporation which included LDV.





LDV T60 MAX – TECHNICAL SPECIFICATIONS

LDV T60 MAX

PRO LUXE Manual Auto Manual Auto		XE	MEGA TUB	PL	PLUS				
Manual	Manual Auto		Auto	Auto	Manual	Auto	Auto		

Engine

	1							
Туре			•	2.0 L Bi-Tu Euro V	irbo Diese Engine	I		
Maximum Power (kW/rpm)				160 @	4000			
Maximum Torque (Nm/rpm)				500 @ 15	500-2400			
Displacement (cc)				19	96			
Transmission	6SPD Manual	8SPD ZF Auto	6SPD Manual	8SPD ZF Auto	8SPD ZF Auto	6SPD Manual	8SPD ZF Auto	8SPD ZF Auto
Compression Ratio	15:9:1							
No. of Valves	16							
No. of Cylinders				4	4			
Bore x Stroke (mm)				83	x 92			
Manual Shift Mode for Auto Models	-	1	-	1	1	-	/	1
Eco/Power Mode	-	1	-	1	1	1	1	1
Steering Assist Modes – Standard and Sport	-	-	-	-	-	1	1	1
Intelligent Real Time Torque on Demand	/							
2WD and 4WD high and low selector	✓							

Ratios

1st	4.657	5.000	4.657	5.000	5.000	4.657	5.000	5.000
2nd	2.594	3.200	2.594	3.200	3.200	2.594	3.200	3.200
3rd	1.714	2.143	1.714	2.143	2.143	1.714	2.143	2.143
4th	1.231	1.720	1.231	1.720	1.720	1.231	1.720	1.720
5th	1.000	1.314	1.000	1.314	1.314	1.000	1.314	1.314
6th	0.806	1.000	0.806	1.000	1.000	0.806	1.000	1.000
7th	-	0.822	-	0.822	0.822	-	0.822	0.822
8th	-	0.640	-	0.640	0.640	-	0.640	0.640
Reverse	4.252	3.456	4.252	3.456	3.456	4.252	3.456	3.456
Final Drive	3.818	4.100	3.818	4.100	4.100	3.818	4.100	4.100
Low Range			2.480				2.480	

PF	RO	LU	XE	MEGA TUB	PL	PLUS Manual Auto	
Manual	Auto	Manual	Auto	Auto	Manual	Auto	Auto

Steering, Suspension and Brakes

Steering, Suspension and Di	akes							
Steering – Rack and Pinion Hydraulic Power Assisted	1	1	1	1	1	-	-	-
Steering – Electric Power Steering (EPS)	-	-	-	-	-	1	1	1
Front Suspension – Double- Wishbone (Heavy Duty)	1	1	-	-	-	-	-	-
Front Suspension – Double- Wishbone (Comfort)	-	-	1	1	1	1	1	1
Rear Suspension – Leaf-Spring (Heavy Duty)	1	1	-	-	-	-	-	-
Rear Suspension – Leaf-Spring (Comfort)	-	-	1	1	1	-	-	-
Rear Suspension – Multi-link	-	-	-	-	-	1	1	/
Brakes – Front, disc					/			
Brakes – Rear, disc				,	/			
Wheels and Tyres	17" x 7J Alloy Wheels with 245/65 R17 Tyres 19" x 7J Black Alloy Wheels with 255/55 R19 Tyres 265/60R18							
Spare Wheel	Steel 245/65R17							

Fuel and Emissions

Fuel Tank (Litres)				7	3			
Combined Fuel Consumption, L/100km ²	9.2	9.3	9.2	9.3	9.3	9.3	8.9	8.9
Carbon Dioxide Emmissions (g/km)	243	244	243	244	244	244	232	232
Emissions Standard				Eur	o 5			

LDV T60 MAX

PR	10	LU	XE	MEGA TUB	PL	US	MEGA TUB PLUS
Manual		Manual			Manual	Auto	Auto


PF	RO	LU	XE	MEGA TUB	PL	PLUS	
Manual		Manual			Manual Auto		Auto

Capacities, Dimensions and Weights


Approach Angle (unladen, degrees)	Weight			.7				
			24.2	. /	I	24		
Departure Angle (unladen, degrees)				-				
Front Overhang (mm)		-	942			972		
Front Track/Rear Track (mm)			1580/1580		1	634 / 166	4	
Ground Clearance (unladen) (mm)			215		220			
Overall Length (mm)		53	65	5680	5395 5		5710	
Overall Height (without Roof Rails) (mm)			1809			1819		
Overall Width (Exterior Mirrors extended) (mm)		2145						
Overall Width (Exterior Mirrors folded) (mm)		1900						
Rear Overhang (mm)			1268	1248				
Ramp Breakover Angle (degrees)			21.3°		19°			
Turning Circle (kerb to kerb) (m)	12.6				12	2.7	13.8	
Wading Depth (mm)			5!	50				
Wheelbase (mm)		31	55	3470	31	75	3490	
Tub Box Width – Pick-Up Box (mm)			15	10				
Tub Box Width of Rear Opening (mm)			14	30				
Tub Height – at Centreline of Axle (mm)			53	30				
Tub Length – at Floor (mm)		14	85	1840	15	25	1840	
Tub Length – Top of Box (mm)		15	25	1800	14	85	1800	
Tub Width – Between Wheel Arches (mm)	1131							
Axle Load Capacity – Front (kg)	1320 1330 1360 1400 1369		1365	1375	1420			
Axle Load Capacity – Rear (kg)	1730	1720	1540	1850	1685	1675	1630	
Gross Combined Vehicle Mass (kg)	60	50	5900	6050				
Gross Vehicle Mass (kg)	30	50	2900		3050			

Kerb Weight (kg) ³	2115	2125	2150	2170	2210	2220	2250	
Payload (kg) ³	935	925	750	730	840	830	800	
Towing Capacity – Braked (kg)		3000						
Max tow ball down weight (kg)		300						
Towing Capacity – Unbraked (kg)	750							
2nd Row Headroom (mm)			98	30				
2nd Row Legroom (mm)			95	58				
2nd Row Shoulder Room (mm)			1463			1454		
Front Headroom (mm)	1010							
Front Legroom (mm)	1053							
Front Shoulder Room (mm)	1483 1463							

Exterior Colours



Interior Colours





LDV T60 MAX - STANDARD EQUIPMENT

Tyre Pressure Monitoring System (TPMS)

1 Remote Key and 1 Normal Key

2 Smart Keys

LDV T60 MAX		_		_			_	MEGA	
	PI	RO	LU	JXE	MEGA TUB	PL	.US	TUB PLUS	
	Manual	Auto	Manual	Auto	Auto	Manual	Auto	Auto	
Safety, Security and Driver Ass	istance	•							Exterior
5 Star ANCAP Safety Rating (2017)	1	/	1	1	1	1	/	1	Engine Bonnet – Gas Strut
Autonomous Emergency Braking ⁴	-	-	-	-	-	-	1	/	Single Front Tow Recovery Point
Lane Departure Warning ⁴	-	-	1	1	1	-	/	1	Front Guard Plate – Matte Silver
Lane Keep Assist (LKA) ⁴	_	_	-	_	_	-	1	/	Front Guard Plate – Black
Fatigue Reminder and Attention Assist ⁴	1	1	1	/	1	/	1	/	Front Grille – Matte Silver
Anti-Lock Braking System (ABS)	1	/	1	1	1	1	/	/	Front Grille – Black
Electronic Brake Assist (EBA)	1	1	1	1	1	1	1	1	Front Grille – Black Gloss
Electronic Brake-force Distribution (EBD)	1	/	1	/	/	/	1	1	Door Handle – Body Colour
Electronic Stability Program (ESP)	/	1	1	1	1	/	1	/	Door Handle – Black
Hill Descent Control (HDC)	1	1	/	/	/	/	1	/	Door Mirrors – Body colour
Hill-Start Assist System (HAS)	/	1	/	/	/	/	1	/	Door Mirrors – Black
Roll Movement Intervention (RMI)	1	1	1	1	1	1	1	/	Door Side Moulding – Black
Traction Control System (TCS)	1	1	1	1	1	1	1	/	Side Mirrors – Auto Folding
Vehicle Dynamics Control (VDC)	1	1	1	1	1	1	1	/	Side Mirrors – Auto Folding with Hea
Rear On Demand Differential Lock ⁵			-	-	-	-	-		Tub Cargo Tie Down Hooks
	-	-	✓	1	/	1	/	/	Mudflaps – Front and Rear
Airbags – Driver and front passenger, side and full-length curtain	1	1	1	1	1	1	1	1	LED Headlights – Auto Dusk Sensing and Height Adjustable with LED Dayt
Seat Belts Front Dual Pretensioning	1	1	/	/	/	/	1	/	Running Lights
Engine Immobiliser	1	/	/	1	1	/	1	/	Rain Sensing Windscreen Wipers
Child Anchoring – ISOFIX + Top Tether x 2	1	1	1	/	1	1	1	/	Tub Liner – Spray In
Lockable Glove Box	/	1	1	/	/	/	1	1	Side Steps
Rear Parking Sensors	/	/	/	/	/	/	/	/	Roof Rails – Chrome
Front Parking Sensors	_	_	_	_	_	1	1	/	Roof Rails – Gloss Black
Reversing Camera	/			/	1	1	-	/	Sports Bar – Stainless Steel
	-	-	/	-	-	-	/	+ -	Sailplane Bar – Black
360 Degree Panoramic Camera	-	-	✓	1	1	✓	1	✓	Black Wheel arches

PF	RO	LU	XE	MEGA TUB	PLUS Manual Auto	US	MEGA TUB PLUS
Manual	Auto	Manual	Auto	Auto	Manual	Auto	Auto

Engine Bonnet – Gas Strut	-	-	1	1	1	1	1	1
Single Front Tow Recovery Point	1	1	1	1	1	1	1	1
Front Guard Plate – Matte Silver	1	1	-	-	-	-	-	-
Front Guard Plate – Black	-	-	1	1	1	1	1	1
Front Grille – Matte Silver	1	1	-	-	-	-	-	-
Front Grille – Black	-	-	1	1	1	-	-	-
Front Grille – Black Gloss	-	-	-	-	-	1	1	1
Door Handle – Body Colour	1	1	1	1	1	-	-	-
Door Handle – Black	-	-	-	-	-	1	1	1
Door Mirrors – Body colour	1	1	1	1	1	-	_	-
Door Mirrors – Black	-	_	_	_	_	1	1	1
Door Side Moulding – Black	-	-	-	-	-	1	1	1
Side Mirrors – Auto Folding	-	_	1	1	1	-	_	-
Side Mirrors – Auto Folding with Heating	-	-	-	-	-	1	1	1
Tub Cargo Tie Down Hooks	4	4	4	4	4	4	4	4
Mudflaps – Front and Rear	1	1	1	1	1	1	1	1
LED Headlights – Auto Dusk Sensing and Height Adjustable with LED Daytime Running Lights	1	1	1	1	1	1	1	1
Rain Sensing Windscreen Wipers	1	1	1	1	1	1	1	1
Tub Liner – Spray In	1	1	1	1	1	1	1	1
Side Steps	1	1	1	1	1	1	1	1
Roof Rails – Chrome	1	1	-	-	-	-	-	-
Roof Rails – Gloss Black	-	-	1	1	1	1	1	1
Sports Bar – Stainless Steel	1	1	-	-	-	-	-	-
Sailplane Bar – Black	-	-	1	1	1	1	1	1
Black Wheel arches	-	-	1	1	1	1	1	1
Rear Fog Lights	1	1	1	1	1	1	1	1
Rear Bumper – Black	-	_	_	_	_	1	1	1
Cargo Tailgate Lock	-	_	_	_	-	1	1	1

LDV T60 MAX

PF	RO	LU	XE	MEGA TUB	PLUS		MEGA TUB PLUS
Manual		Manual			Manual	Auto	Auto

Comfort and Convenience

Steering column – Height adjustable	1	1	1	1	1	1	1	1
12V Power Outlet x 1	/	1	1	1	1	1	1	/
Air Conditioning – Climate Control	/	1	1	1	1	1	1	/
Rear Air Vents	1	1	1	1	1	1	1	1
Standard Cruise Control	1	1	1	1	1	1	-	-
Adaptive Cruise Control ⁴	-	-	_	-	_	-	1	1
Rear View Mirror – Manual Dimming	1	1	_	-	_	-	_	-
Rear View Mirror – Auto Dimming	-	-	1	1	1	1	1	/
Multifunction Steering Wheel	/	1	1	1	1	_	-	-
Multifunction Steering Wheel with Heating Function	-	-	_	-	_	1	1	1
Paddle Shifts for Gears	-	1	_	1	1	-	1	/
Column Mounted Gear Shifter	-	-	_	-	-	-	1	/
Sunglass Holder	/	1	1	1	1	1	1	/
Cup Holders	4	4	4	4	4	4	4	4
Electronic Park Brake	-	-	-	-	-	1	1	1
Remote Control Locking	1	1	_	-	_	-	-	-
Keyless Entry and Push Button Start	-	-	1	1	1	1	1	1

Seating

5 Seats	1	1	1	1	1	1	1	1
Driver's Seat – 6 way Manual adjustment	1	1	-	-	-	-	-	-
Passenger's Seat – 4 way Manual adjustment	1	1	-	-	-	-	-	-
Front Row Seats – 6 way Electronic adjustment with Heating	-	-	1	1	1	1	1	1
Cloth Seats – Black	1	1	-	-	-	-	-	-
Leather Trimmed Seats ⁶ – Black	-	-	1	1	1	1	1	1

PF	PRO LUXE		MEGA TUB	PL	PLUS		
Manual	Auto	Manual	Auto	Auto	Manual	Auto	Auto

Audio and Communication

Speakers	6	6	6	6	6	6	6	6
10.25" Infotainment Display with Bluetooth, AM/FM Stereo Radio, Apple CarPlay® and Smartphone Connectivity	1	1	1	1	1	-	-	-
12.3" Infotainment and Driver Displays with Bluetooth, AM/FM Stereo Radio, Apple CarPlay® and Android Auto	-	-	-	-	-	1	1	1
Wireless Mobile Charging Pad	-	-	-	-	-	-	1	1
USB Ports	2	2	2	2	2	3	3	3

Warranty⁷

New Vehicle Warranty – 7 year/200,000km (whichever occurs first) ⁷	1	1	1	1	1	1	1	1
Roadside Assist – 5 year/Unlimited km (whichever occurs first) ⁷	1	1	1	1	1	1	1	1

Disclaimers:

- Fuel consumption figures according to ADR 81/02 derived from laboratory testing. Factors including but not limited
 to driving style, road and traffic conditions, environmental influences, vehicle condition and accessories fitted, will in
 practice in the real world lead to figures which generally differ from those advertised. Advertised figures are meant for
 comparison amongst vehicles only.
- 3. Payload and tare weight figures are based on vehicle certification. It is the driver's responsibility to ensure: weight of fully loaded vehicles do not exceed GVM; front and rear axle load limits are not individually exceeded; the combined weight of the fully loaded vehicle (including tow ball download when towing) and trailer does not exceed the GCM; compliance to State and Territory towing regulations. Payload is the combined value of occupants, luggage, cargo, added options, accessories and tow ball download (when towing). Tare weight includes the vehicle with a full tank of fuel and all standard equipment excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload and tare weight. When a genuine tow bar and wiring are fitted, blind spot monitoring will be disabled.
- 4. Safety technologies may not operate optimally under all driving conditions, operation and effectiveness depends on many factors. Driver is responsible for safe and attentive driving. Safety technologies are not a substitute for the driver's control over the vehicle. See owner's manual for complete details.
- 5. Self engages when required under 30 km/h.
- 6. Leather accented features and upholstery contain some synthetic materials.
- 7. Subject to terms, conditions and exclusions on Idvautomotive.com.au

All information in this document is correct at time of publication however variations may occur from time to time and Ateco Automotive Pty Ltd insofar as is permitted by law to do so, shall not be liable in any way as a result of any reliance by any person on anything contained in this document.



Find your nearest dealer at **Idvautomotive.com.au** to arrange a quote or book a test-drive.

Ateco Automotive Pty Ltd ABN 34 000 486 706

All the information in this document is correct at time of publication however variations may occur from time to time and Ateco Automotive Pty Ltd insofar as is permitted by law to do so shall not be liable in any way as a result of any reliance by any person on anything contained in this document.



Ateco Automotive ABN 34 000 486 706 May 2024 / 14033 / LDV0260