

T60 MAX



SPECIFICATIONS SHEET

LDV is a division of SAIC Motor, which is a Fortune Global 500 company and the 84th largest company in the world¹. SAIC Motor sells over 5 million vehicles annually and has joint ventures with Volkswagen and General Motors. In 2009 SAIC Motor acquired the commercial vehicles division of British Motor Corporation which included LDV.

1. 2023 Fortune Global 500.



LDV T60 MAX – TECHNICAL SPECIFICATIONS

LDV T60 MAX

| PRO | | LUXE | | MEGA TUB | PLUS | | MEGA TUB PLUS |
|--------|------|--------|------|----------|--------|------|---------------|
| Manual | Auto | Manual | Auto | Auto | Manual | Auto | Auto |

Engine

| | | | | | | | | |
|--|-------------------------------------|--------------|-------------|--------------|--------------|-------------|--------------|--------------|
| Type | 2.0 L Bi-Turbo Diesel Euro V Engine | | | | | | | |
| Maximum Power (kW/rpm) | 160 @ 4000 | | | | | | | |
| Maximum Torque (Nm/rpm) | 500 @ 1500-2400 | | | | | | | |
| Displacement (cc) | 1996 | | | | | | | |
| Transmission | 6SPD Manual | 8SPD ZF Auto | 6SPD Manual | 8SPD ZF Auto | 8SPD ZF Auto | 6SPD Manual | 8SPD ZF Auto | 8SPD ZF Auto |
| Compression Ratio | 15.9:1 | | | | | | | |
| No. of Valves | 16 | | | | | | | |
| No. of Cylinders | 4 | | | | | | | |
| Bore x Stroke (mm) | 83 x 92 | | | | | | | |
| Manual Shift Mode for Auto Models | - | ✓ | - | ✓ | ✓ | - | ✓ | ✓ |
| Eco/Power Mode | - | ✓ | - | ✓ | ✓ | ✓ | ✓ | ✓ |
| Steering Assist Modes – Standard and Sport | - | - | - | - | - | ✓ | ✓ | ✓ |
| Intelligent Real Time Torque on Demand | ✓ | | | | ✓ | | | |
| 2WD and 4WD high and low selector | ✓ | | | | | | | |

Ratios

| | | | | | | | | |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1st | 4.657 | 5.000 | 4.657 | 5.000 | 5.000 | 4.657 | 5.000 | 5.000 |
| 2nd | 2.594 | 3.200 | 2.594 | 3.200 | 3.200 | 2.594 | 3.200 | 3.200 |
| 3rd | 1.714 | 2.143 | 1.714 | 2.143 | 2.143 | 1.714 | 2.143 | 2.143 |
| 4th | 1.231 | 1.720 | 1.231 | 1.720 | 1.720 | 1.231 | 1.720 | 1.720 |
| 5th | 1.000 | 1.314 | 1.000 | 1.314 | 1.314 | 1.000 | 1.314 | 1.314 |
| 6th | 0.806 | 1.000 | 0.806 | 1.000 | 1.000 | 0.806 | 1.000 | 1.000 |
| 7th | - | 0.822 | - | 0.822 | 0.822 | - | 0.822 | 0.822 |
| 8th | - | 0.640 | - | 0.640 | 0.640 | - | 0.640 | 0.640 |
| Reverse | 4.252 | 3.456 | 4.252 | 3.456 | 3.456 | 4.252 | 3.456 | 3.456 |
| Final Drive | 3.818 | 4.100 | 3.818 | 4.100 | 4.100 | 3.818 | 4.100 | 4.100 |
| Low Range | 2.480 | | | | 2.480 | | | |

| PRO | | LUXE | | MEGA TUB | PLUS | | MEGA TUB PLUS |
|--------|------|--------|------|----------|--------|------|---------------|
| Manual | Auto | Manual | Auto | Auto | Manual | Auto | Auto |

Steering, Suspension and Brakes

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Steering – Rack and Pinion Hydraulic Power Assisted | ✓ | ✓ | ✓ | ✓ | ✓ | - | - | - |
| Steering – Electric Power Steering (EPS) | - | - | - | - | - | ✓ | ✓ | ✓ |
| Front Suspension – Double-Wishbone (Heavy Duty) | ✓ | ✓ | - | - | - | - | - | - |
| Front Suspension – Double-Wishbone (Comfort) | - | - | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Rear Suspension – Leaf-Spring (Heavy Duty) | ✓ | ✓ | - | - | - | - | - | - |
| Rear Suspension – Leaf-Spring (Comfort) | - | - | ✓ | ✓ | ✓ | - | - | - |
| Rear Suspension – Multi-link | - | - | - | - | - | ✓ | ✓ | ✓ |
| Brakes – Front, disc | ✓ | | | | | | | |
| Brakes – Rear, disc | ✓ | | | | | | | |
| Wheels and Tyres | 17" x 7J Alloy Wheels with 245/65 R17 Tyres | | 19" x 7J Black Alloy Wheels with 255/55 R19 Tyres | | | 18" x Alloy Wheels with 265/60R18HT tyres | | |
| Spare Wheel | Steel 245/65R17 | | | | | | | |

Fuel and Emissions

| | | | | | | | | |
|---|--------|-----|-----|-----|-----|-----|-----|-----|
| Fuel Tank (Litres) | 73 | | | | | | | |
| Combined Fuel Consumption, L/100km ² | 9.2 | 9.3 | 9.2 | 9.3 | 9.3 | 9.3 | 8.9 | 8.9 |
| Carbon Dioxide Emmissions (g/km) | 243 | 244 | 243 | 244 | 244 | 244 | 232 | 232 |
| Emissions Standard | Euro 5 | | | | | | | |

LDV T60 MAX

| PRO | | LUXE | | MEGA TUB | PLUS | | MEGA TUB PLUS |
|--------|------|--------|------|----------|--------|------|---------------|
| Manual | Auto | Manual | Auto | Auto | Manual | Auto | Auto |


Capacities, Dimensions and Weights

| | | | | | | | |
|--|-----------|------|------|-------------|------|------|------|
| Approach Angle (unladen, degrees) | 27 | | | | | | |
| Departure Angle (unladen, degrees) | 24.2 | | | 24 | | | |
| Front Overhang (mm) | 942 | | | 972 | | | |
| Front Track/Rear Track (mm) | 1580/1580 | | | 1634 / 1664 | | | |
| Ground Clearance (unladen) (mm) | 215 | | | 220 | | | |
| Overall Length (mm) | 5365 | | 5680 | 5395 | | 5710 | |
| Overall Height (without Roof Rails) (mm) | 1809 | | | 1819 | | | |
| Overall Width (Exterior Mirrors extended) (mm) | 2145 | | | | | | |
| Overall Width (Exterior Mirrors folded) (mm) | 1900 | | | | | | |
| Rear Overhang (mm) | 1268 | | | 1248 | | | |
| Ramp Breakover Angle (degrees) | 21.3° | | | 19° | | | |
| Turning Circle (kerb to kerb) (m) | 12.6 | | | 12.7 | | 13.8 | |
| Wading Depth (mm) | 550 | | | | | | |
| Wheelbase (mm) | 3155 | | 3470 | 3175 | | 3490 | |
| Tub Box Width – Pick-Up Box (mm) | 1510 | | | | | | |
| Tub Box Width of Rear Opening (mm) | 1430 | | | | | | |
| Tub Height – at Centreline of Axle (mm) | 530 | | | | | | |
| Tub Length – at Floor (mm) | 1485 | | 1800 | 1485 | | 1800 | |
| Tub Length – Top of Box (mm) | 1525 | | 1840 | 1525 | | 1840 | |
| Tub Width – Between Wheel Arches (mm) | 1131 | | | | | | |
| Axle Load Capacity – Front (kg) | 1320 | 1330 | 1360 | 1400 | 1365 | 1375 | 1420 |
| Axle Load Capacity – Rear (kg) | 1730 | 1720 | 1540 | 1850 | 1685 | 1675 | 1630 |
| Gross Combined Vehicle Mass (kg) | 6050 | | 5900 | | 6050 | | |
| Gross Vehicle Mass (kg) | 3050 | | 2900 | | 3050 | | |


| PRO | | LUXE | | MEGA TUB | PLUS | | MEGA TUB PLUS |
|--------|------|--------|------|----------|--------|------|---------------|
| Manual | Auto | Manual | Auto | Auto | Manual | Auto | Auto |

| | | | | | | | |
|---------------------------------|------|------|------|------|------|------|------|
| Kerb Weight (kg) ³ | 2115 | 2125 | 2150 | 2170 | 2210 | 2220 | 2250 |
| Payload (kg) ³ | 935 | 925 | 750 | 730 | 840 | 830 | 800 |
| Towing Capacity – Braked (kg) | 3000 | | | | | | |
| Max tow ball down weight (kg) | 300 | | | | | | |
| Towing Capacity – Unbraked (kg) | 750 | | | | | | |
| 2nd Row Headroom (mm) | 980 | | | | | | |
| 2nd Row Legroom (mm) | 958 | | | | | | |
| 2nd Row Shoulder Room (mm) | 1463 | | | 1454 | | | |
| Front Headroom (mm) | 1010 | | | | | | |
| Front Legroom (mm) | 1053 | | | | | | |
| Front Shoulder Room (mm) | 1483 | | | 1463 | | | |

Exterior Colours



Interior Colours



LDV T60 MAX – STANDARD EQUIPMENT

LDV T60 MAX

| PRO | | LUXE | | MEGA TUB | PLUS | | MEGA TUB PLUS |
|--------|------|--------|------|----------|--------|------|---------------|
| Manual | Auto | Manual | Auto | Auto | Manual | Auto | Auto |

Safety, Security and Driver Assistance

| | | | | | | | | |
|--|---|---|---|---|---|---|---|---|
| 5 Star ANCAP Safety Rating (2017) | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Autonomous Emergency Braking ⁴ | - | - | - | - | - | - | ✓ | ✓ |
| Lane Departure Warning ⁴ | - | - | ✓ | ✓ | ✓ | - | ✓ | ✓ |
| Lane Keep Assist (LKA) ⁴ | - | - | - | - | - | - | ✓ | ✓ |
| Fatigue Reminder and Attention Assist ⁴ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Anti-Lock Braking System (ABS) | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Electronic Brake Assist (EBA) | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Electronic Brake-force Distribution (EBD) | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Electronic Stability Program (ESP) | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Hill Descent Control (HDC) | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Hill-Start Assist System (HAS) | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Roll Movement Intervention (RMI) | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Traction Control System (TCS) | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Vehicle Dynamics Control (VDC) | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Rear On Demand Differential Lock ⁵ | - | - | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Airbags – Driver and front passenger, side and full-length curtain | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Seat Belts Front Dual Pretensioning | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Engine Immobiliser | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Child Anchoring – ISOFIX + Top Tether x 2 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Lockable Glove Box | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Rear Parking Sensors | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Front Parking Sensors | - | - | - | - | - | ✓ | ✓ | ✓ |
| Reversing Camera | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| 360 Degree Panoramic Camera | - | - | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Tyre Pressure Monitoring System (TPMS) | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| 1 Remote Key and 1 Normal Key | ✓ | ✓ | - | - | - | - | - | - |
| 2 Smart Keys | - | - | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |

| PRO | | LUXE | | MEGA TUB | PLUS | | MEGA TUB PLUS |
|--------|------|--------|------|----------|--------|------|---------------|
| Manual | Auto | Manual | Auto | Auto | Manual | Auto | Auto |

Exterior

| | | | | | | | | |
|--|---|---|---|---|---|---|---|---|
| Engine Bonnet – Gas Strut | - | - | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Single Front Tow Recovery Point | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Front Guard Plate – Matte Silver | ✓ | ✓ | - | - | - | - | - | - |
| Front Guard Plate – Black | - | - | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Front Grille – Matte Silver | ✓ | ✓ | - | - | - | - | - | - |
| Front Grille – Black | - | - | ✓ | ✓ | ✓ | - | - | - |
| Front Grille – Black Gloss | - | - | - | - | - | ✓ | ✓ | ✓ |
| Door Handle – Body Colour | ✓ | ✓ | ✓ | ✓ | ✓ | - | - | - |
| Door Handle – Black | - | - | - | - | - | ✓ | ✓ | ✓ |
| Door Mirrors – Body colour | ✓ | ✓ | ✓ | ✓ | ✓ | - | - | - |
| Door Mirrors – Black | - | - | - | - | - | ✓ | ✓ | ✓ |
| Door Side Moulding – Black | - | - | - | - | - | ✓ | ✓ | ✓ |
| Side Mirrors – Auto Folding | - | - | ✓ | ✓ | ✓ | - | - | - |
| Side Mirrors – Auto Folding with Heating | - | - | - | - | - | ✓ | ✓ | ✓ |
| Tub Cargo Tie Down Hooks | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| Mudflaps – Front and Rear | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| LED Headlights – Auto Dusk Sensing and Height Adjustable with LED Daytime Running Lights | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Rain Sensing Windscreen Wipers | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Tub Liner – Spray In | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Side Steps | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Roof Rails – Chrome | ✓ | ✓ | - | - | - | - | - | - |
| Roof Rails – Gloss Black | - | - | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Sports Bar – Stainless Steel | ✓ | ✓ | - | - | - | - | - | - |
| Sailplane Bar – Black | - | - | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Black Wheel arches | - | - | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Rear Fog Lights | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Rear Bumper – Black | - | - | - | - | - | ✓ | ✓ | ✓ |
| Cargo Tailgate Lock | - | - | - | - | - | ✓ | ✓ | ✓ |

LDV T60 MAX

| PRO | | LUXE | | MEGA TUB | PLUS | | MEGA TUB PLUS |
|--------|------|--------|------|----------|--------|------|---------------|
| Manual | Auto | Manual | Auto | Auto | Manual | Auto | Auto |

Comfort and Convenience

| | | | | | | | | |
|--|---|---|---|---|---|---|---|---|
| Steering column – Height adjustable | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| 12V Power Outlet x 1 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Air Conditioning – Climate Control | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Rear Air Vents | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Standard Cruise Control | ✓ | ✓ | ✓ | ✓ | ✓ | - | - | - |
| Adaptive Cruise Control ⁴ | - | - | - | - | - | ✓ | ✓ | ✓ |
| Rear View Mirror – Manual Dimming | ✓ | ✓ | - | - | - | - | - | - |
| Rear View Mirror – Auto Dimming | - | - | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Multifunction Steering Wheel | ✓ | ✓ | ✓ | ✓ | ✓ | - | - | - |
| Multifunction Steering Wheel with Heating Function | - | - | - | - | - | ✓ | ✓ | ✓ |
| Paddle Shifts for Gears | - | ✓ | - | ✓ | ✓ | - | ✓ | ✓ |
| Column Mounted Gear Shifter | - | - | - | - | - | - | ✓ | ✓ |
| Sunglass Holder | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Cup Holders | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| Electronic Park Brake | - | - | - | - | - | ✓ | ✓ | ✓ |
| Remote Control Locking | ✓ | ✓ | - | - | - | - | - | - |
| Keyless Entry and Push Button Start | - | - | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |

Seating

| | | | | | | | | |
|--|---|---|---|---|---|---|---|---|
| 5 Seats | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Driver's Seat – 6 way Manual adjustment | ✓ | ✓ | - | - | - | - | - | - |
| Passenger's Seat – 4 way Manual adjustment | ✓ | ✓ | - | - | - | - | - | - |
| Front Row Seats – 6 way Electronic adjustment with Heating | - | - | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Cloth Seats – Black | ✓ | ✓ | - | - | - | - | - | - |
| Leather Trimmed Seats ⁶ – Black | - | - | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |

| PRO | | LUXE | | MEGA TUB | PLUS | | MEGA TUB PLUS |
|--------|------|--------|------|----------|--------|------|---------------|
| Manual | Auto | Manual | Auto | Auto | Manual | Auto | Auto |

Audio and Communication

| | | | | | | | | |
|--|---|---|---|---|---|---|---|---|
| Speakers | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 10.25" Infotainment Display with Bluetooth, AM/FM Stereo Radio, Apple CarPlay [®] and Smartphone Connectivity | ✓ | ✓ | ✓ | ✓ | ✓ | - | - | - |
| 12.3" Infotainment and Driver Displays with Bluetooth, AM/FM Stereo Radio, Apple CarPlay [®] and Android Auto | - | - | - | - | - | ✓ | ✓ | ✓ |
| Wireless Mobile Charging Pad | - | - | - | - | - | - | ✓ | ✓ |
| USB Ports | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 |

Warranty⁷

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| New Vehicle Warranty – 7 year/200,000km (whichever occurs first) ⁷ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Roadside Assist – 5 year/Unlimited km (whichever occurs first) ⁷ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |

Disclaimers:

- Fuel consumption figures according to ADR 81/02 derived from laboratory testing. Factors including but not limited to driving style, road and traffic conditions, environmental influences, vehicle condition and accessories fitted, will in practice in the real world lead to figures which generally differ from those advertised. Advertised figures are meant for comparison amongst vehicles only.
- Payload and tare weight figures are based on vehicle certification. It is the driver's responsibility to ensure: weight of fully loaded vehicles do not exceed GVM; front and rear axle load limits are not individually exceeded; the combined weight of the fully loaded vehicle (including tow ball download when towing) and trailer does not exceed the GCM; compliance to State and Territory towing regulations. Payload is the combined value of occupants, luggage, cargo, added options, accessories and tow ball download (when towing). Tare weight includes the vehicle with a full tank of fuel and all standard equipment excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload and tare weight. When a genuine tow bar and wiring are fitted, blind spot monitoring will be disabled.
- Safety technologies may not operate optimally under all driving conditions, operation and effectiveness depends on many factors. Driver is responsible for safe and attentive driving. Safety technologies are not a substitute for the driver's control over the vehicle. See owner's manual for complete details.
- Self engages when required under 30 km/h.
- Leather accented features and upholstery contain some synthetic materials.
- Subject to terms, conditions and exclusions on ldvautomotive.com.au

All information in this document is correct at time of publication however variations may occur from time to time and Ateco Automotive Pty Ltd insofar as is permitted by law to do so, shall not be liable in any way as a result of any reliance by any person on anything contained in this document.



Find your nearest dealer at ldvautomotive.com.au
to arrange a quote or book a test-drive.

Ateco Automotive Pty Ltd ABN 34 000 486 706

All the information in this document is correct at time of publication however variations may occur from time to time and Ateco Automotive Pty Ltd insofar as is permitted by law to do so shall not be liable in any way as a result of any reliance by any person on anything contained in this document.



LDV
ldvautomotive.com.au

Ateco Automotive ABN 34 000 486 706

May 2024 / 14033 / LDV0260