

SPECIFICATIONS SHEET

LDV is a division of SAIC Motor, which is a Fortune Global 500 company and the 84th largest company in the world¹. SAIC Motor sells over 5 million vehicles annually and has joint ventures with Volkswagen and General Motors. In 2009 SAIC Motor acquired the commercial vehicles division of British Motor Corporation which included LDV.



eDELIVER

1. 2023 Fortune Global 500.

LDV eDELIVER 7 VAN- TECHNICAL SPECIFICATIONS

LDV eDELIVER7 VAN

SWB LOW ROOFLWB LOW ROOFLWB HIGH ROOF77KWH77KWH88KWH88KWH88KWH

Engine

Туре	Permanent Magnet Synchronous Motor
Drive	Front Wheel Drive
Maximum Power	150
Maximum Torque	330
Maximum Speed	Eco mode – 90km/h/Normal & Power mode – 120km/h
Modes	Normal, Eco, Power

Battery

Capacity, installed	77kWh		88kWh		
Maximum Range (km) (WLTP) ²	318	310	362	328	

On Board AC Charger

Туре	Тур	pe 2
Maximum Charging Capacity (kW)	1	1
Standard Charging Time (5-100%) – Single Phase (hours) (6.6kW)³	12.2hrs (approx.)	15hrs (approx.)
Charging Time (5-100%) – Three Phase (hours) (11kW) ³	8hrs (approx.)	9.3hrs (approx.)

On Board DC Charger

Charging Capacity (kW)	78kW	90kW
Standard Charging Time (20-80%) ³	43 min (approx.)

SWB LOW ROOF LWB LOW ROOF LWB LOW ROOF LWB HIGH ROOF 77KWH 77KWH 88KWH 88KWH

Steering & Handling

Steering	Electric Power Steering		
Turning Diameter (kerb to kerb, metres)	12.1 13.4		
Front/Rear Suspension	Macpherson Independent/Leaf Spring		
Front/Rear Brakes	Disc/Disc		
Tyres	215/65R16C 215/75R16C		
Wheels	Steel		
Spare Wheel	Full size – Steel		

Exterior Colour

Blanc White

Interior Colour









Long Wheelbase High Roof


Short Wheelbase Low Roof


Disclaimers:

2. Range figure is based on WLTP (Worldwide Harmonized Light Vehicle Test Procedure) static laboratory combined average city and highway cycle test. Figures stated for the purposes of comparison amongst vehicles tested to the same technical procedures only. Actual real world driving results will vary depending on a combination of driving style, type of journey, vehicle configuration, battery age and condition, use of vehicle features (such as heating and air conditioning), as well as operating, environmental and climate conditions. The rated range displayed on the Energy Consumption label affixed to the car is calculated according to the ADR 81/02 NEDC based standard as defined by UNECE R101/01 (rather than the WLTP), so the range displayed on the label is different to that shown here.

3. Charging times may vary based on factors including but not limited to charger type and condition, battery temperature, electricity supply, auxiliary consumables (e.g. air-conditioning) and environmental conditions. The time taken for successive rapid charging can take longer if the battery temperature activates the battery safeguarding technology. Please note that using a portable Mode 2 Charger from a regular 3-pin wall socket will not charge your electric vehicle battery at temperatures less than approximately 8 degrees Celsius or higher than approximately 30 degrees Celsius.

Long Wheelbase Low Roof








Short Wheelbase Low Roof

512 1010 3000 4998
















990

527 3366 5364 







1693

Width between wheel arches (mm)		13	90	
Rear door opening width (mm)		14	25	
Rear door opening height (mm)		1242		1494
Side door opening width (mm		99	90	
Side door opening height (mm)		12	00	
Front axle capacity (kg)	1830			
Rear axle capacity (kg)	2050			
Gross Combination Weight (GCW) (kg) ⁵	4250			
Gross Vehicle Weight (GVW) (kg)⁵		36	50	
Kerb Weight (kg)⁵	2300	2365	2445	2475
Payload (kg)⁵	1350	1285	1205	1175
Braked towing capacity (kg)	1500			`
Unbraked towing capacity (kg)		75	50	

LWB LOW ROOF

1990

1328

6.7

2323

2118

147

1800

5364

3366

2913

SWB LOW ROOF

5.9

4998

3000

150

2547

LWB LOW ROOF LWB HIGH ROOF

8.7

2390

167

LDV eDELIVER7 VAN

Width – Including Mirrors (mm)

Width – Excluding Mirrors (mm)

Dimensions

Cargo Volume (m³)

Length (mm)

Height (mm)

Wheel base (mm)

Ground Clearance (mm)

Cargo area length (mm)

Cargo area width (mm)

Cargo area height (mm)



Long Wheelbase High Roof

LDV edeliver 7 van – Standard Equipment

LDV eDELIVER7 VAN

	SWB LOW ROOF	LWB LOW ROOF	LWB LOW ROOF	LWB HIGH ROOF				
	77KWH	77KWH	88KWH	88KWH				
Safety, Security and Driver A	Safety, Security and Driver Assistance ⁴							
ANCAP GOLD safety rating		•	/					
Airbags (6) – Driver and front passenger airbags (2), side airbags (2), curtain airbags (2)		•	/					
Autonomous Emergency Braking (AEB)		v	/					
Adaptive Cruise Control (ACC) with Stop & Go		·	/					
Blind Spot Monitoring		•	/					
Front Collision Warning (FCW)		v	/					
Lane Departure Warning (LDW)		v	/					
Lane Keep Assist (LKA)		v	/					
Emergency Lane Keep Assist (ELKA)		v	/					
Lane Change Assist (LCA)		v	/					
Rear Cross Traffic Alert (RCTA)		v	/					
Door Opening Warning (DOW)		v	/					
Speed Limit Sign Identification			/					
Intelligent Headlight Control		v	/					
Fatigue Reminder		v	/					
Anti-Lock Braking System (ABS)		v	/					
Electronic Brake Assist (EBA)			/					
Electronic Brake-force Distribution (EBD)		·	/					
Electronic Stability Program (ESP)		v	/					
Hill Hold Control (HHC)		v	/					
Roll Movement Intervention (RMI)		v	/					
Traction Control System (TCS)		v	/					
Vehicle Dynamics Control (VDC)		v	/					

	SWB LOW ROOF	LWB LOW ROOF	LWB LOW ROOF	LWB HIGH ROOI
	77KWH	77KWH	88KWH	88KWH
Front and Rear Parking Sensors			1	
Reverse Camera			1	
Tyre Pressure Monitoring System (TPMS)			/	
Adjustable Overspeed Alarm			/	
Cargo Area				
Rear Barn Doors with Two Stage Opening – 90°/180°			1	
Single Sliding Side Door			/	
Tie-down Points x 6			/	
Cargo Flooring – Rubber			/	
LED Illuminated Rear Cargo Lighting		,	/	
Exterior				
LED Headlights with Daytime Running Lights			1	
Side Mirrors – Heated			/	
LED Rear Taillights			/	
Door Handle – Body Colour			/	
Rear High Mounted LED Stop Lamp			/	
Front Fog Lamps			/	
Rear Fog Lamps			/	

LDV eDELIVER7 VAN

	SWB LOW ROOF	LWB LOW ROOF	LWB LOW ROOF	LWB HIGH ROOF
	77KWH	77KWH	88KWH	88KWH
Comfort & Convenience				
Air Conditioning			1	
Power Windows – Front			1	
Keyless Entry and Start with Proximity Smart Key			/	
Electronic Park Brake			1	
Rain Sensing Auto Wipers		•	1	
Dusk Sensing Auto Lights			1	
Leatherette Multifunction Steering Wheel with Heating Function			/	
Steering Wheel – Height adjustable			/	
Column Shift Gear Lever		•	/	
Rear View Mirror – Anti-glare Manual		•	/	
Cup Holders x 4		•	1	
12V Power Outlet x 1		•	1	
Driver's Seat – Height adjustable with manual slide, recline, lumbar support with driver's armest			/	
Front Two (2) Seat Passenger Bench with folding console			/	
Heated Seats – Front outboard seats only			/	
Upholstery – Black Cloth Trim			/	
Heated Rear Window			/	

1

Charging Equipment

1 x Type 2, 11kW AC charging cable

SWB LOW ROOF	LWB LOW ROOF	LWB LOW ROOF	LWB HIGH ROOF
77KWH	77KWH	88KWH	88KWH

Audio & Communication

12.3" Touch Screen Infotainment Display with DAB Radio & Bluetooth	✓
4.2" LCD instrument cluster	1
Apple CarPlay®	1
Android Auto®	1
4 Speaker Sound System	1
USB Port x 2	1

Capped Priced Servicing⁶

Capped Price Servicing ⁶	J	
Warranty ⁷		
New Vehicle Warranty – 5 year/160,000km (whichever occurs first) ⁷	 Image: A start of the start of	
Roadside Assist – 5 Year/Unlimited km (whichever occurs first) ⁷	1	
Battery Warranty – 8 year/250,000km (whichever occurs first) ⁷	1	

Disclaimers:

4. Safety technologies operate within system parameters and may not operate, or may not operate optimally, under certain conditions. Safety technologies are not a substitute for the driver's control over the vehicle. The driver remains responsible for the vehicle.

- 5. Payload and tare weight figures are based on vehicle certification. It is the driver's responsibility to ensure: weight of fully loaded vehicles do not exceed GVM; front and rear axle load limits are not individually exceeded; the combined weight of the fully loaded vehicle (including tow ball download when towing) and trailer does not exceed the GCM; compliance to State and Territory towing regulations. Payload is the combined value of occupants, luggage, cargo, added options, accessories and tow ball download (when towing). Tare weight includes the vehicle and all standard equipment excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload and tare weight. When a genuine tow bar and wiring are fitted, blind spot monitoring will be disabled.
- 6. Terms, conditions and exclusions apply. The Capped Price Servicing Program is available to retail customers and fleet and business customers nominated by LDV Automotive. Rental, government and motorhome purchases are excluded. For full terms, conditions and exclusions please see Idvautomotive.com.au. LDV Automotive reserves the right to at any time modify or discontinue the Capped Price Servicing program.

7. Subject to terms, conditions and exclusions on Idvautomotive.com.au

All information in this document is correct at time of publication however variations may occur from time to time and Ateco Automotive Pty Ltd insofar as is permitted by law to do so, shall not be liable in any way as a result of any reliance by any person on anything contained in this document.



Find your nearest dealer at **Idvautomotive.com.au** to arrange a quote or book a test-drive.

Ateco Automotive Pty Ltd ABN 34 000 486 706

All the information in this document is correct at time of publication however variations may occur from time to time and Ateco Automotive Pty Ltd insofar as is permitted by law to do so shall not be liable in any way as a result of any reliance by any person on anything contained in this document.



Ateco Automotive ABN 34 000 486 706 November 2024 / 14167 / LDV0282