

DELIVER 7



SPECIFICATIONS SHEET

LDV is a division of SAIC Motor, which is a Fortune Global 500 company and the 84th largest company in the world*. SAIC Motor sells over 5 million vehicles annually and has joint ventures with Volkswagen and General Motors. In 2009 SAIC Motor acquired the commercial vehicles division of British Motor Corporation which included LDV.

* 2023 Fortune Global 500.



LDV DELIVER 7 VAN – TECHNICAL SPECIFICATIONS

LDV DELIVER 7 VAN

	SWB LOW ROOF	LWB LOW ROOF
Engine		
Type	2.0L turbo diesel engine	
Maximum Net Power (kW)	123.5	
Maximum Torque (Nm)	390	
Displacement	1996cc	
Compression Ratio	15.9:1	
No. of Valves	16	
No. of Cylinders	4	
Bore x Stroke (mm)	83 x 92	
Eco/Power/Normal Mode	●	
Engine Stop/Start System	●	
Drive	Front Wheel Drive	

Transmission

Type	9 Speed Automatic
------	-------------------

Fuel & Emissions

Fuel Tank (Litres)	80L
Combined Fuel Consumption (L/100km) ¹	7.7
CO ₂ Emissions g/km	203
Emissions Standard	Euro 5

Steering & Handling

Steering	Electric Power Steering	
Turning circle (m)	12.1	13.4
Front / Rear Suspension	Macpherson Independent Suspension / Leaf Spring Suspension	
Front / Rear Brakes	Disc / Disc	
Tyres	215/65R16C	
Wheels – Steel	●	
Wheels – Alloy	○	
Spare Wheel	Full Size (steel)	

Wheels




16" Steel Wheels




16" Alloy Wheels (Option Pack)

Exterior Colour



Blanc White

Interior Colour



Black Cloth



Short Wheelbase Low Roof



Long Wheelbase Low Roof


● = Standard | ○ = Option pack

LDV DELIVER 7 VAN


Dimensions

	SWB LOW ROOF	LWB LOW ROOF
Cargo Volume (m ³)	6.3	7.2
Length (mm)	4998	5364
Width – Including Mirrors (mm)	2323	
Width – Excluding Mirrors (mm)	2118	
Height (mm)	1998	
Wheel base (mm)	3000	3366
Minimum Ground Clearance (mm)	147	
Cargo area length (mm)	2547	2913
Cargo area width (mm)	1800	
Cargo area height (mm)	1428	
Width between wheel arches (mm)	1390	
Rear door opening width (mm)	1425	
Rear door opening height (mm)	1342	
Side door opening width (mm)	990	
Side door opening height (mm)	1300	
Front axle capacity (kg) ²	1830	
Rear axle capacity (kg) ²	1900	
Gross Combination Weight (kg) ²	5200	
Gross Vehicle Weight (kg) ²	3400	
Kerb Weight (kg) ²	2105	2170
Payload (kg) ²	1295	1230
Braked towing capacity (kg)	2000	
Unbraked towing capacity (kg)	750	

Short Wheelbase Low Roof



Long Wheelbase Low Roof



LDV DELIVER 7 VAN – STANDARD EQUIPMENT

LDV DELIVER 7 VAN

	SWB LOW ROOF	LWB LOW ROOF
Safety, Security and Driver Assistance³		
ANCAP PLATINUM safety rating (2025)		●
Airbags (6) – Driver and front passenger airbags (2), side airbags (2), curtain airbags (2)		●
Autonomous Emergency Braking (AEB)		●
Adaptive Cruise Control (ACC) with Stop & Go		●
Blind Spot Monitoring		●
Front Collision Warning (FCW)		●
Lane Departure Warning (LDW)		●
Lane Keep Assist (LKA), Emergency Lane Keep Assist (ELKA) & Lane Change Assist (LCA)		●
Rear Cross Traffic Alert (RCTA)		●
Door Opening Warning (DOW)		●
Speed Limit Sign Identification		●
Intelligent Headlight Control		●
Fatigue Reminder and Early Warning System		●
Anti-Lock Braking System (ABS)		●
Electronic Brake Assist (EBA)		●
Electronic Brake-force Distribution (EBD)		●
Electronic Stability Program (ESP)		●
Hill Hold Control (HHC)		●
Roll Movement Intervention (RMI)		●
Traction Control System (TCS)		●
Vehicle Dynamics Control (VDC)		●
Front and Rear Parking Sensors		●
Reverse Camera		●
Tyre Pressure Monitoring System (TPMS)		●
Adjustable Overspeed Alarm		●

● = Standard | ○ = Option pack

	SWB LOW ROOF	LWB LOW ROOF
Cargo Area		
Rear Barn Doors with Two Stage Opening – 90°/180°		●
Single Sliding Side Door		●
Tie-down Points		●
Cargo Flooring – Rubber		●
LED Illuminated Rear Cargo Lighting		●
Exterior		
LED Headlights with Daytime Running Lights		●
Side Mirrors – Heated		●
LED Rear Taillights		●
Door Handle – Body Colour		●
Rear High Mounted LED Stop Lamp		●
Rear Fog Lamps		●
Comfort & Convenience		
Air Conditioning		●
Power Windows – Front		●
Keyless Entry and Start with Proximity Smart Key		●
Electronic Park Brake		●
Rain Sensing Auto Wipers		●
Dusk Sensing Auto Lights		●
Leatherette Multifunction Steering Wheel		●
Steering Wheel – Height adjustable		●
Column Shift Gear Lever		●
Rear View Mirror – Anti-glare Manual		●

LDV DELIVER 7 VAN

	SWB LOW ROOF	LWB LOW ROOF
Cup Holders x 4	●	
12V Power Outlet x 1	●	
Driver's Seat – Height adjustable with manual slide, recline, lumbar support with driver's armrest	●	
Single Passenger Seat	●	
Upholstery – Black Cloth Trim	●	
Heated Rear Window	●	

Audio & Communication

12.3" Infotainment Display with Bluetooth, FM/AM/MP3 Player, Apple CarPlay™ & Android Auto™, DAB Radio	●	
4.2" LCD instrument cluster	●	
4 Speaker Sound System	●	

Option Pack

16" Alloy Wheels		
Dual Sliding Doors	○	○
360° Camera		

● = Standard | ○ = Option pack

Warranty⁴

	SWB LOW ROOF	LWB LOW ROOF
New Vehicle Warranty – 7 year/200,000km (whichever occurs first) ⁴		●
Roadside Assist – 5 Year/Unlimited km (whichever occurs first) ⁴		●

Disclaimers:

1. Fuel consumption figures according to ADR 81/02 derived from laboratory testing. Factors including but not limited to driving style, road and traffic conditions, environmental influences, vehicle condition and accessories fitted, will in practice in the real world lead to figures which generally differ from those advertised. Advertised figures are meant for comparison amongst vehicles only.
2. Payload and kerb weight figures are based on vehicle certification. It is the driver's responsibility to ensure: weight of fully loaded vehicles do not exceed GVM; front and rear axle load limits are not individually exceeded; the combined weight of the fully loaded vehicle (including tow ball download when towing) and trailer does not exceed the GCM; compliance to State and Territory towing regulations. Payload is the combined value of occupants, luggage, cargo, added options, accessories and tow ball download (when towing). Kerb weight includes the vehicle with a full tank of fuel and all standard equipment excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload and kerb weight. When a genuine tow bar and wiring are fitted, blind spot monitoring will be disabled.
3. Safety technologies operate within system parameters and may not operate, or may not operate optimally, under certain conditions. Safety technologies are not a substitute for the driver's control over the vehicle. The driver remains responsible for the vehicle.
4. Subject to terms, conditions and exclusions on ldvautomotive.com.au

All information in this document is correct at time of publication however variations may occur from time to time and Ateco Automotive Pty Ltd insofar as is permitted by law to do so, shall not be liable in any way as a result of any reliance by any person on anything contained in this document.



Find your nearest dealer at **ldvautomotive.com.au**
to arrange a quote or book a test-drive.

Ateco Automotive Pty Ltd ABN 34 000 486 706

All the information in this document is correct at time of publication however variations may occur from time to time and Ateco Automotive Pty Ltd insofar as is permitted by law to do so shall not be liable in any way as a result of any reliance by any person on anything contained in this document.



LDV

ldvautomotive.com.au

Ateco Automotive ABN 34 000 486 706

April 2025 / 14337 / LDV0328