

LDV edeliver 9 – Technical specifications

Wheels

Tyres

| | LONG WHEEL BASE (MID ROOF) | LONG WHEEL BASE (HIGH ROOF) | | LONG WHEEL B (MID ROOF) |
|--|------------------------------------|--|---|--|
| Engine | | | | 10.97 m³ of Car |
| Туре | Permanent magnet synchronous motor | | | |
| Drive | Front wheel drive | | | |
| Maximum Power | 150kW | | | |
| Maximum Torque | 310Nm | | | |
| Maximum Speed | 90km/h | | Dimensions | 5940mm |
| Electricity Consumption (Wh/km) | 339 | 345 | Length – excluding rear camera (mm) | 5940 |
| Modes | Normal, eco | and power | Width (mm) | 2062 |
| Battery | | | Height – excluding rear camera (mm) | 2545 |
| Type | Lithium Iron Phosphate (LFP) | | Wheel base (mm) | 3760 |
| Capacity | 88.55kWh | | Turning circle (m) | 14.8 |
| Maximum Range (km) (WLTP) ² | 280 | 275 | Cargo area length (mm) | 3413 |
| On Board AC Charger | • | | Cargo area width (mm) | 1800 |
| On Board AC Charger Type Type 2 | | Cargo area height (mm) | 1802 | |
| Type | * 1 | | Width between wheel arches (mm) | 1366 |
| Maximum Charging Capacity (kW) | 11 | 11 | Rear door opening width (mm) | 1570 |
| Standard Charging Time (5-100%) Single Phase (hours) ³ | 12 (approx.) | 12 (approx.) | Rear door opening height (mm) | 1656 |
| Standard Charging Time (5-100%) Three Phase (hours) ³ | 8 (approx.) | 8 (approx.) | Side door opening width (mm) | 1269 |
| Three Phase (nours) | | | Side door opening height (mm) | 1570 |
| On Board DC Charger | | | Gross vehicle mass (kg) | 4050 |
| Charging Capacity (kW) | 80 | 80 | Front axle capacity (kg) | 1950 |
| Standard Charging Time (20-80%) ³ | 45 min (| approx.) | Rear axle capacity (kg) | 2300 |
| On Board Emergency Domestic Charger | | | Payload (kg) ⁴ | 1410 |
| | | | Tare weight (kg) ⁴ | 2640 |
| Output Capacity Charging Plug | 10amp, 2kW 3-Pin AC | | Braked towing capacity (kg) | 1500 |
| Charging Plug 3-Pin AC | | Unbraked towing capacity (kg) | 750 | |
| Steering & Handling | | | Cargo volume (m³) | 10.97 |
| Steering | Electric Power Steering | | Disability | |
| Suspension (Front) | | and steering tuning – son struts | Disclaimers: 2. Range figure is based on WLTP (Worldwide Harmonized License stated for the purpose of comparison amongs to | ght Vehicle Test Procedure) static lal |
| Suspension (Rear) | | Figures stated for the purposes of comparison amongst vehicles tested to the same technical part springs with gas filled shock absorbers Figures stated for the purposes of comparison amongst vehicles tested to the same technical part springs with gas filled vary depending on a combination of driving style, type of journey, vehicle configuration, battery shock absorbers heating and air conditioning), as well as operating, environmental and climate conditions. The results of the same technical part of the purposes of comparison amongst vehicles tested to the same technical part of the purposes of comparison amongst vehicles tested to the same technical part of the purposes of comparison amongst vehicles tested to the same technical part of the purposes of comparison amongst vehicles tested to the same technical part of the purposes of comparison amongst vehicles tested to the same technical part of the purposes of comparison amongst vehicles tested to the same technical part of the purposes of comparison amongst vehicles tested to the same technical part of the purposes of comparison amongst vehicles tested to the same technical part of the purposes of comparison amongst vehicles tested to the same technical part of the purposes of comparison amongst vehicles tested to the same technical part of the purposes of comparison amongst vehicles tested to the purpose of comparison amongst vehicle | | |

16" alloy wheels with full size spare

215/75R16C tyres

2. Range figure is based on WLTP (Worldwide Harmonized Light Vehicle Test Procedure) static laboratory combined average city and highway cycle test. Figures stated for the purposes of comparison amongst vehicles tested to the same technical procedures only. Actual real world driving results will vary depending on a combination of driving style, type of journey, vehicle configuration, battery age and condition, use of vehicle features (such as heating and air conditioning), as well as operating, environmental and climate conditions. The rated range displayed on the Energy Consumption label affixed to the car is calculated according to the ADR 81/02 NEDC based standard as defined by UNECE R101/01 (rather than the WLTP), so the range displayed on the label is different to that shown here.

LONG WHEEL BASE (HIGH ROOF) 12.33 m³ of Cargo

3. Charging times may vary based on factors including but not limited to charger type and condition, battery temperature, electricity supply, auxiliary consumables (e.g. air-conditioning) and environmental conditions. The time taken for successive rapid charging can take longer if the battery temperature activates the battery safeguarding technology.

LDV edeliver 9 - Standard Equipment

LDV eDELIVER 9

Brakes

Front: Ventilated front disc brakes, 308mm with twin piston calliper

Rear: Solid rear disc brakes, 304mm with single piston calliper, rear disc middle drum handbrake

Safety and Security Features⁵

Anti Skid Braking System (ABS)

Electronic Stability Control (ESC)

Electronic Brake Force Distribution (EBD)

Brake Assist System (BAS)

Hill Hold Assist (HHA)

Autonomous Emergency Braking (AEB)

Adaptive Cruise Control (ACC)

Lane Departure Warning (LDW)

Driver and passenger front airbags

Driver and passenger side airbags

Double curtain airbag (first row)

Front and rear parking sensors

Remote Central Locking

Wide view rear overhead camera

Tyre Pressure Monitoring System

Cargo Area

Non slip entry steps - side and rear

Sturdy tie-down points (8)

Heavy duty, non-slip hard rubber flooring

LED illuminated rear cargo lighting

External Features

Power and electric heated side mirrors with turn signals

Single passenger's side sliding door

236 degree rear barn doors

Integrated rear step

Front and rear fog lights

Interior Features

Air conditioning (front)

Multifunction steering wheel

Power windows (front)

4.2 inch LCD instrument cluster

FM/AM Radio

8 way adjustable driver's seat with fold down armrest

Bench seat for two passengers

Built in under seat storage

Fold down middle passenger seat back with cup and laptop holder

Overhead storage compartments

Driver and passenger deep door pockets

Two USB ports

Apple CarPlay®

Bluetooth

10.1 inch touch screen entertainment system

Warranty/Roadside Assist⁶

New Vehicle Warranty - 5 Year/160,000km (whichever occurs first)⁶

Roadside Assist - 5 Year/Unlimited km (whichever occurs first)6

Battery Warranty - 8 Year/160,000km (whichever occurs first)⁶

Exterior Colours





Interior Colour



Disclaimers:

- 4. Payload and tare weight figures are based on vehicle certification. It is the driver's responsibility to ensure: weight of fully loaded vehicles do not exceed GVM; front and rear axle load limits are not individually exceeded; the combined weight of the fully loaded vehicle (including tow ball download when towing) and trailer does not exceed the GCM; compliance to State and Territory towing regulations. Payload is the combined value of occupants, luggage, cargo, added options, accessories and tow ball download (when towing). Tare weight includes the vehicle and all standard equipment excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload and tare weight. When a genuine tow bar and wiring are fitted, blind spot monitoring will be disabled.
- 5. Safety technologies operate within system parameters and may not operate, or may not operate optimally, under certain conditions. Safety technologies are not a substitute for the driver's control over the vehicle. The driver remains responsible for the vehicle.
- 6. Subject to terms, conditions and exclusions on Idvautomotive.com.au

All information in this document is correct at time of publication however variations may occur from time to time and Ateco Automotive Pty Ltd insofar as is permitted by law to do so, shall not be liable in any way as a result of any reliance by any person on anything contained in this document.



Find your nearest dealer at **Idvautomotive.com.au** to arrange a quote or book a test-drive.

Ateco Automotive Pty Ltd ABN 34 000 486 706

All the information in this document is correct at time of publication however variations may occur from time to time and Ateco Automotive Pty Ltd insofar as is permitted by law to do so shall not be liable in any way as a result of any reliance by any person on anything contained in this document.



Ateco Automotive ABN 34 000 486 706 October 2025 / 14469 / LDV0369 / v1