





LDV T60 MAX – TECHNICAL SPECIFICATIONS

LDV T60 MAX

PR	RO	LU	XE	MEGA TUB	PL	US	MEGA TUB PLUS
Manual		Manual			Manual	Auto	Auto

Engine

0								
Туре				2.0 L Bi-Tu Euro V	rbo Diese Engine			
Maximum Power (kW/rpm)				160 @	4000			
Maximum Torque (Nm/rpm)				500 @ 15	500-2400			
Displacement (cc)				19	96			
Transmission	6SPD Manual	8SPD ZF Auto	6SPD Manual	8SPD ZF Auto	8SPD ZF Auto	6SPD Manual	8SPD ZF Auto	8SPD ZF Auto
Compression Ratio		15:9:1						
No. of Valves		16						
No. of Cylinders				4	4			
Bore x Stroke (mm)				83 :	x 92			
Manual Shift Mode for Auto Models	-	•	-	•	•	-	•	•
Eco/Power Mode	-	•	-	•	•	•	•	•
Steering Assist Modes – Standard and Sport	-	-	-	-	-	•	•	•
Intelligent Real Time Torque on Demand			•				•	
2WD and 4WD high and low selector				•	•	-		

Ratios

1st	4.657	5.000	4.657	5.000	5.000	4.657	5.000	5.000
2nd	2.594	3.200	2.594	3.200	3.200	2.594	3.200	3.200
3rd	1.714	2.143	1.714	2.143	2.143	1.714	2.143	2.143
4th	1.231	1.720	1.231	1.720	1.720	1.231	1.720	1.720
5th	1.000	1.314	1.000	1.314	1.314	1.000	1.314	1.314
6th	0.806	1.000	0.806	1.000	1.000	0.806	1.000	1.000
7th	-	0.822	-	0.822	0.822	-	0.822	0.822
8th	-	0.640	-	0.640	0.640	-	0.640	0.640
Reverse	4.252	3.456	4.252	3.456	3.456	4.252	3.456	3.456
Final Drive	3.818	4.100	3.818	4.100	4.100	3.818	4.100	4.100
Low Range			2.480				2.480	

PF	RO	LU	XE	E MEGA TUB PLUS		US	MEGA TUB PLUS
Manual	Auto	Manual			Manual	Auto	Auto

Steering, Suspension and Brakes

Steering – Rack and Pinion Hydraulic Power Assisted	•							
rowei Assisted		•	•	•	•	-	-	-
Steering – Electric Power Steering (EPS)	-	-	-	-	-	•	•	•
Front Suspension – Double- Wishbone (Heavy Duty)	•	•	-	-	-	-	-	-
Front Suspension – Double- Wishbone (Comfort)	-	-	•	•	•	•	•	•
Rear Suspension – Leaf-Spring (Heavy Duty)	•	•	-	-	-	-	-	-
Rear Suspension – Leaf-Spring (Comfort)	-	-	•	•	•	-	-	-
Rear Suspension – Multi-link	-	-	-	-	-	•	•	•
Brakes – Front, disc								
Brakes – Rear, disc				•	•			
Wheels and Tyres	Whee	'J Alloy ls with R17 Tyres		Black Alloy 55/55 R19		18" x A 265/	lloy Whee 60R18HT	ls with tyres
Spare Wheel				Steel 24	5/65R17			

Fuel and Emissions

Fuel Tank (Litres)	73								
Combined Fuel Consumption, L/100km¹	9.2	9.3	9.2	9.3	9.3	9.3	8.9	8.9	
Carbon Dioxide Emmissions (g/km)	243	244	243	244	244	244	232	232	
Emissions Standard				Eur	o 5				

LDV T60 MAX

PF	RO	LUXE		MEGA TUB	PL	US	MEGA TUB PLUS
Manual		Manual			Manual	Auto	Auto


PF	RO	LU	XE	MEGA TUB	PLUS		MEGA TUB PLUS			
Manual		Manual			Manual Auto		Manual Auto A		Auto	

Capacities, Dimensions and Weights


capacities, Difficilisions and	Weight	3						
Approach Angle (unladen, degrees)			2	7				
Departure Angle (unladen, degrees)			24.2			24		
Front Overhang (mm)			942			972		
Front Track/Rear Track (mm)			1580/1580		1	634 / 166	4	
Ground Clearance (unladen) (mm)			215			220		
Overall Length (mm)		53	65	5680	53	95	5710	
Overall Height (without Roof Rails) (mm)			1809					
Overall Width (Exterior Mirrors extended) (mm)			21	45				
Overall Width (Exterior Mirrors folded) (mm)			19	00				
Rear Overhang (mm)	1268				1248			
Ramp Breakover Angle (degrees)	21.3°							
Turning Circle (kerb to kerb) (m)			12.6		12	12.7		
Wading Depth (mm)			55	50				
Wheelbase (mm)		31	55	3470	31	75	3490	
Tub Box Width – Pick-Up Box (mm)			15	10				
Tub Box Width of Rear Opening (mm)			14	30				
Tub Height – at Centreline of Axle (mm)			53	30				
Tub Length – at Floor (mm)		14	-85	1800	14	85	1800	
Tub Length – Top of Box (mm)		15	i25	1840	15	25	1840	
Tub Width – Between Wheel Arches (mm)			11	31		1		
Axle Load Capacity – Front (kg)	1320	1330	1360	1400	1365	1375	1420	
Axle Load Capacity – Rear (kg)	1730	1720	1540	1850	1685 1675		1630	
Gross Combined Vehicle Mass (kg)	60	50	5900	-		6050		
Gross Vehicle Mass (kg)	30	50	2900			3050		
			*				-	

Kerb Weight (kg) ²	2115	2125	2150	2170	2210	2220	2250
Payload (kg) ²	935	925	750	730	840	830	800
Towing Capacity – Braked (kg)			30	000			
Max tow ball down weight (kg)	300						
Towing Capacity – Unbraked (kg)			7:	50			
2nd Row Headroom (mm)			98	80			
2nd Row Legroom (mm)			9!	58			
2nd Row Shoulder Room (mm)			1463			1454	
Front Headroom (mm)			10)10			
Front Legroom (mm)			10)53			
Front Shoulder Room (mm)			1483			1463	

Exterior Colours



Interior Colours





LDV T60 MAX - STANDARD EQUIPMENT

LDV T60 MAX

PRO LUXE		MEGA TUB	PL	us	MEGA TUB PLUS		
Manual		Manual			Manual	Auto	Auto

Safety, Security and Driver Assistance

Autonomous Emergency Braking ³	-	-	-	-	-	-	•	•
Lane Departure Warning ³	-	-	•	•	•	-	•	•
Lane Keep Assist (LKA) ³	-	-	-	-	-	-	•	•
Fatigue Reminder and Attention Assist ³	•	•	•	•	•	•	•	•
Anti-Lock Braking System (ABS)	•	•	•	•	•	•	•	•
Electronic Brake Assist (EBA)	•	•	•	•	•	•	•	•
Electronic Brake-force Distribution (EBD)	•	•	•	•	•	•	•	•
Electronic Stability Program (ESP)	•	•	•	•	•	•	•	•
Hill Descent Control (HDC)	•	•	•	•	•	•	•	•
Hill-Start Assist System (HAS)	•	•	•	•	•	•	•	•
Roll Movement Intervention (RMI)	•	•	•	•	•	•	•	•
Traction Control System (TCS)	•	•	•	•	•	•	•	•
Vehicle Dynamics Control (VDC)	•	•	•	•	•	•	•	•
Rear On Demand Differential Lock⁴	-	-	•	•	•	•	•	•
Airbags – Driver and front passenger, side and full-length curtain	•	•	•	•	•	•	•	•
Seat Belts Front Dual Pretensioning	•	•	•	•	•	•	•	•
Engine Immobiliser	•	•	•	•	•	•	•	•
Child Anchoring – ISOFIX + Top Tether x 2	•	•	•	•	•	•	•	•
Lockable Glove Box	•	•	•	•	•	•	•	•
Rear Parking Sensors	•	•	•	•	•	•	•	•
Front Parking Sensors	-	-	-	-	-	•	•	•
Reversing Camera	•	•	•	•	•	•	•	•
360 Degree Panoramic Camera	-	-	•	•	•	•	•	•
Tyre Pressure Monitoring System (TPMS)	•	•	•	•	•	•	•	•
1 Remote Key and 1 Normal Key	•	•	-	-	-	-	-	-
2 Smart Keys	-	-	•	•	•	•	•	•

ial Auto Auto Manual Auto Auto	TUB	ΛE	LUXE		FI
		Auto	Manual		Manual

Exterior

EXCCITO								
Engine Bonnet – Gas Strut	-	-	•	•	•	•	•	•
Single Front Tow Recovery Point	•	•	•	•	•	•	•	•
Front Guard Plate – Matte Silver	•	•	-	-	-	-	-	-
Front Guard Plate – Black	-	-	•	•	•	•	•	•
Front Grille – Matte Silver	•	•	_	_	-	-	_	-
Front Grille – Black	-	_	•	•	•	-	_	-
Front Grille – Black Gloss	-	-	-	-	-	•	•	•
Door Handle – Body Colour	•	•	•	•	•	_	-	-
Door Handle – Black	-	_	_	-	_	•	•	•
Door Mirrors – Body colour	•	•	•	•	•	-	_	-
Door Mirrors – Black	-	_	_	-	_	•	•	•
Door Side Moulding – Black	-	-	-	-	_	•	•	•
Side Mirrors – Auto Folding	-	-	•	•	•	-	-	-
Side Mirrors – Auto Folding with Heating	-	-	-	-	-	•	•	•
Tub Cargo Tie Down Hooks	4	4	4	4	4	4	4	4
Mudflaps – Front and Rear	•	•	•	•	•	•	•	•
LED Headlights – Auto Dusk Sensing and Height Adjustable with LED Daytime Running Lights	•	•	•	•	•	•	•	•
Rain Sensing Windscreen Wipers	•	•	•	•	•	•	•	•
Tub Liner – Spray In	•	•	•	•	•	•	•	•
Side Steps	•	•	•	•	•	•	•	•
Roof Rails – Chrome	•	•	-	-	-	-	-	-
Roof Rails – Gloss Black	-	-	•	•	•	•	•	•
Sports Bar – Stainless Steel	•	•	-	-	-	-	-	-
Sailplane Bar – Black	-	-	•	•	•	•	•	•
Black Wheel arches	-	_	•	•	•	•	•	•
Rear Fog Lights	•	•	•	•	•	•	•	•
Rear Bumper – Black	-	_	-	-	-	•	•	•
Cargo Tailgate Lock – Key Lockable	-	-	-	-	-	•	•	•

LDV T60 MAX

PF	RO	LU	XE	MEGA TUB	PL	US	MEGA TUB PLUS
Manual		Manual		Auto	Manual	Auto	Auto

Comfort and Convenience

Steering column – Height adjustable	•	•	•	•	•	•	•	•
12V Power Outlet x 1	•	•	•	•	•	•	•	•
Air Conditioning – Climate Control	•	•	•	•	•	•	•	•
Rear Air Vents	•	•	•	•	•	•	•	•
Standard Cruise Control	•	•	•	•	•	•	-	-
Adaptive Cruise Control ³	-	-	-	-	-	-	•	•
Rear View Mirror – Manual Dimming	•	•	-	-	_	-	-	-
Rear View Mirror – Auto Dimming		-	•	•	•	•	•	•
Multifunction Steering Wheel	•	•	•	•	•	-	-	-
Multifunction Steering Wheel with Heating Function	-	-	_	_	-	•	•	•
Paddle Shifts for Gears	-	•	-	•	•	-	•	•
Column Mounted Gear Shifter	_	-	-	-	_	-	•	•
Sunglass Holder	•	•	•	•	•	•	•	•
Cup Holders	4	4	4	4	4	4	4	4
Electronic Park Brake	-	_	-	-	_	•	•	•
Remote Control Locking	•	•	-	-	-	-	-	-
Keyless Entry and Push Button Start	-	-	•	•	•	•	•	•

Seating

5 Seats	•	•	•	•	•	•	•	•
Driver's Seat – 6 way Manual adjustment	•	•	-	-	-	-	-	-
Passenger's Seat – 4 way Manual adjustment	•	•	-	-	-	-	-	-
Front Row Seats – 6 way Electronic adjustment with Heating	-	-	•	•	•	•	•	•
Cloth Seats – Black	•	•	-	-	-	-	-	-
Leather Trimmed Seats ⁵ – Black	-	-	•	•	•	•	•	•

PF	RO	LU	XE	MEGA TUB	PL	US	MEGA TUB PLUS
Manual	Auto	Manual	Auto	Auto	Manual	Auto	Auto

Audio and Communication

Speakers	6	6	6	6	6	6	6	6
10.25" Infotainment Display with Bluetooth, AM/FM Stereo Radio, Apple CarPlay® and Smartphone Connectivity	•	•	•	•	•	-	-	-
12.3" Infotainment and Driver Displays with Bluetooth, AM/FM Stereo Radio, Apple CarPlay® and Android Auto	-	-	-	-	-	•	•	•
Wireless Mobile Charging Pad	-	-	-	-	-	-	•	•
USB Ports	2	2	2	2	2	3	3	3

Warranty⁶

New Vehicle Warranty – 7 year/200,000km (whichever occurs first) ⁶	•	•	•	•	•	•	•	•
Roadside Assist – 5 year/Unlimited km (whichever occurs first) ⁶	•	•	•	•	•	•	•	•

Disclaimers:

- Fuel consumption figures according to ADR 81/02 derived from laboratory testing. Factors including but not limited
 to driving style, road and traffic conditions, environmental influences, vehicle condition and accessories fitted, will in
 practice in the real world lead to figures which generally differ from those advertised. Advertised figures are meant
 for comparison amongst vehicles only.
- 2. Payload and tare weight figures are based on vehicle certification. It is the driver's responsibility to ensure: weight of fully loaded vehicles do not exceed GVM; front and rear axle load limits are not individually exceeded; the combined weight of the fully loaded vehicle (including tow ball download when towing) and trailer does not exceed the GCM; compliance to State and Territory towing regulations. Payload is the combined value of occupants, luggage, cargo, added options, accessories and tow ball download (when towing). Tare weight includes the vehicle with 10 litres of fuel and all standard equipment excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload and tare weight. When a genuine tow bar and wiring are fitted, blind spot monitoring will be disabled.
- 3. Safety technologies may not operate optimally under all driving conditions, operation and effectiveness depends on many factors. Driver is responsible for safe and attentive driving. Safety technologies are not a substitute for the driver's control over the vehicle. See owner's manual for complete details.
- 4. Self engages when required under 30 km/h.
- 5. Leather accented features and upholstery contain some synthetic materials.
- 6. Subject to terms, conditions and exclusions on Idvautomotive.com.au

All information in this document is correct at time of publication however variations may occur from time to time and Ateco Automotive Pty Ltd insofar as is permitted by law to do so, shall not be liable in any way as a result of any reliance by any person on anything contained in this document.



Find your nearest dealer at **Idvautomotive.com.au** to arrange a quote or book a test-drive.

Ateco Automotive Pty Ltd ABN 34 000 486 706

All the information in this document is correct at time of publication however variations may occur from time to time and Ateco Automotive Pty Ltd insofar as is permitted by law to do so shall not be liable in any way as a result of any reliance by any person on anything contained in this document.



Ateco Automotive ABN 34 000 486 706 November 2024 / 14193 / LDV0326