

# MIFA9

PEOPLE MOVER



## SPECIFICATIONS SHEET

LDV is a division of SAIC Motor, which is a Fortune Global 500 company and the 84th largest company in the world\*. SAIC Motor sells over 5 million vehicles annually and has joint ventures with Volkswagen and General Motors. In 2009 SAIC Motor acquired the commercial vehicles division of British Motor Corporation which included LDV.

\*2023 Fortune Global 500.



# LDV MIFA9 ELECTRIC PEOPLE MOVER – TECHNICAL SPECIFICATIONS

## LDV MIFA9 ELECTRIC PEOPLE MOVER

MODE / EXECUTIVE / LUXE

### Engine

Type	Permanent magnet synchronous motor
Drive	Front Wheel Drive
Maximum Power (kW)	180kW
Maximum Torque (Nm)	350Nm
Maximum Speed (km/h)	180
Electricity Consumption (Wh/km)	213 / 215 / 218
Driving Modes	Power, Normal & Eco

### Battery

Type	Lithium-ion
Capacity	90kWh
Maximum Range (km) (WLTP) <sup>1</sup>	440 / 435 / 430

### On Board AC Charger

Type	Type 2
Maximum Charging Capacity (kW)	11
Standard Charging Time (5-100%) at maximum AC Charge Speed 11kW – Three Phase (hours) <sup>3</sup>	8.5

### On Board DC Charger

Charging Capacity (kW)	120kW
Standard Charging Time (30-80%) <sup>2</sup>	36 min (approx.)

### On Board Emergency Domestic Charger

Type	Type 2
Output Capacity	2kW

#### Disclaimers:

1. Range figure is based on WLTP (Worldwide Harmonized Light Vehicle Test Procedure) static laboratory combined average city and highway cycle test. Figures stated for the purposes of comparison amongst vehicles tested to the same technical procedures only. Actual real world driving results will vary depending on a combination of driving style, type of journey, vehicle configuration, battery age and condition, use of vehicle features (such as heating and air conditioning), as well as operating, environmental and climate conditions. The rated range displayed on the Energy Consumption label affixed to the car is calculated according to the ADR 81/02 NEDC based standard as defined by UNECE R101/01 (rather than the WLTP), so the range displayed on the label is different to that shown here.
2. Charging times may vary based on factors including but not limited to charger type and condition, battery temperature, electricity supply, auxiliary consumables (e.g. air-conditioning) and environmental conditions. The time taken for successive rapid charging can take longer if the battery temperature activates the battery safeguarding technology.

MODE / EXECUTIVE / LUXE

### Steering, Brakes and Suspension

Steering	Electric Power Steering
Front / Rear Suspension	Macpherson Independent / Multi-Link
Front / Rear Brakes	Disc / Disc
Turning Circle (kerb to kerb, metres)	12.7

MODE






EXECUTIVE

LUXE

### Wheels and Tyres



Wheels	18" Star Alloy 6.5Jx18 OR	19" Multi Spoke Alloy 7.5Jx19 OR	
Tyres	225/60R18 with Tyre Repair Kit	235/55R19 with Tyre Repair Kit	235/55R19 Self Sealing Tyres

### Exterior Colours

		
Blanc White	Pearl White	Concrete Grey / Black Roof*
		
Mica Blue	Metal Black	

\*Available on Executive & Luxe only

### Interior Colours

	
Black Leatherette Trim	Black Leather Trim (Luxe only)

## LDV MIFA9 ELECTRIC PEOPLE MOVER

MODE / EXECUTIVE / LUXE

### Dimensions

Overall Length (mm)	5270
Overall Height (mm)	1840
Overall Width (mm)	2000
Wheelbase (mm)	3200
Ground clearance (unladen) (mm)	140
Front track/Rear track (mm)	1690 / 1712
Front Overhang (mm)	955
Rear Overhang (mm)	1115
Front headroom (mm)	1074 / 1070 / 1070
Front legroom (mm)	1028
Front shoulder room (mm)	1582
2nd row headroom (mm)	1060 / 1038 / 1038
2nd row legroom (mm)	986
2nd row shoulder room (mm)	1582
3rd row seat, shoulder room (mm)	1570
3rd row seat, leg room (mm)	978
3rd row seat, head room (mm)	1010 / 970/ 970
Seats (number)	7

MODE / EXECUTIVE / LUXE

### Load Space Volume (Litres)

2nd and 3rd row seats up	466.2
3rd row seats folded – second row up	1702.7
2nd and 3rd row seats – folded	2017
Cargo area length (mm) – 3rd row (min-max)	375-810
Cargo area length (mm) – 3rd row seats folded	1380
Cargo area length (mm) – 2nd and 3rd row seats folded	2280
Cargo area height (mm)	1150 / 1090 / 1090
Cargo area width between wheel arches (mm)	1144
Rear hatch opening height (mm)	1859
Rear hatch opening width (mm)	1275

### Capacities and Weights

Gross Combined Vehicle Mass (kg)	3420 / 3520 / 3645
GVM (kg)	3000 / 3095 / 3095
Payload (kg) <sup>3</sup>	655 / 650 / 525
Tare Weight (kg) <sup>3</sup>	2310 / 2410 / 2535
Towing Capacity – Braked (kg)	1000
Max tow ball down weight (kg)	100
Towing Capacity – Unbraked (kg)	750

# LDV MIFA9 ELECTRIC PEOPLE MOVER – STANDARD EQUIPMENT

## LDV MIFA9 ELECTRIC PEOPLE MOVER

	MODE	EXECUTIVE	LUXE
<b>Safety, Security and Driver Assistance</b>			
Airbags – Driver and front passenger, farside, side and full-length curtain	●	●	●
Adaptive Cruise Control <sup>4</sup>	●	●	●
Integrated Cruise Assist (ICA)	●	●	●
Electronic Stability Program (ESP)	●	●	●
Emergency Brake Assist (EBA)	●	●	●
Electronic Brake-force Distribution (EBD)	●	●	●
Autonomous Emergency Braking (AEB) – Front and Rear <sup>4</sup>	●	●	●
Anti-lock Braking System (ABS)	●	●	●
Lane Departure Warning <sup>4</sup>	●	●	●
Lane Keep Assist <sup>4</sup>	●	●	●
Auto Hold	●	●	●
Fatigue Reminder and Attention Assist <sup>4</sup>	●	●	●
Rear Occupant Seat Belt Alert	●	●	●
Traffic Sign Recognition <sup>4</sup>	●	●	●
Reverse Camera with Guidelines	●	–	–
360° Panoramic Camera	–	●	●
Rear Parking Sensors	●	–	–
Front and Rear Parking Sensors	–	●	●
Anti-theft Alarm	●	●	●
Blind Spot Monitoring	●	●	●
Rear Cross Traffic Alert (RCTA) <sup>4</sup>	●	●	●
Rear Collision Warning (RCW) <sup>4</sup>	●	●	●
Hill Descent Control	●	●	●
Door Opening Warning (DOW)	●	●	●

### Exterior

Full LED Headlights with Daytime Running Lights	●	●	●
Full LED Rear Taillights with Dynamic Indicators	●	●	●
Adaptive Headlights with Auto Beam Assist	●	●	●
LED Rear Fog Lamp	●	●	●
Front Bumper – Body Colour with Chrome Garnish	●	●	●
Rear Bumper – Body Colour with Chrome Garnish	●	●	●
Door Handles – Body Colour	●	●	●
Chrome Trim – Window Frame	●	●	●
Integrated Rear Roof Spoiler	●	●	●

● = Standard

	MODE	EXECUTIVE	LUXE
<b>Interior</b>			
Ambient Lighting – Up to 64 Colour Choices	–	●	●
4 Way Adjustable Steering Wheel	●	●	●
Multifunction Steering Wheel	●	●	–
Multifunction Steering Wheel – with Heating Function	–	–	●
Rear View Mirror – Anti-glare (Manual)	●	–	–
Rear View Mirror – Anti-glare (Auto Dimming)	–	●	–
Rear View Mirror – Digital With Colour Display	–	–	●
Passenger Assist Grips – 2nd Row	●	●	●
Interior Door Handles – Chrome	●	●	●
Coat Hook – 2nd and 3rd Row	●	●	●
Column-mounted Gear Shifter	●	●	●
Centre Console with Armrest and Cup Holders	●	●	●
Cup Holders (2 x Front, 2 x 2nd Row, 2 x 3rd Row)	●	●	●
Bottle Holders (2 x Front, 2 x 2nd Row)	●	●	●
12V Power Socket x 2	–	●	●
220V Power Socket x 1	–	●	●
LED Front Reading Lamp	●	●	●
LED Rear Passenger Reading Lights	●	●	●
Boot Light	●	●	●
Front and Rear Sunroof – Tilt/Slide	–	●	●
Rear Privacy Glass – 2nd and 3rd Row	–	●	●

### Comfort and Convenience

Electric Dual-sliding Rear Doors	–	●	●
Manual Rear Tailgate	●	–	–
Electric Rear Tailgate	–	●	●
Electronic Park Brake	●	●	●
Tyre Pressure Monitoring System	●	●	●
Side Mirrors – Heated	●	–	–
Side Mirrors – Heated and Auto Folding	–	●	●

## LDV MIFA9 ELECTRIC PEOPLE MOVER

	MODE	EXECUTIVE	LUXE
Power Windows – Auto Down (Front)	●	–	–
Power Windows – Auto Up and Down Function with Anti-Pinch Feature (Front)	–	●	●
Remote Keyless Entry and Start with Proximity Smart Key	●	●	●
Dusk Sensing Auto Lights	●	●	●
Rain Sensing Auto Wipers	–	●	●
Air Conditioning – Multizone Climate Control	●	●	–
Air Conditioning – Multizone Climate Control with Digital controls (2nd Row)	–	–	●
Air Purifier	–	●	●

### Seating

Standard Leatherette Seat Trim	●	●	–
Premium Leather Seat Trim <sup>5</sup>	–	–	●
Driver's Seat – 6 Way Manual Adjustment	●	–	–
Driver's Seat – 8 Way Electronic Adjustment, 4 way Lumbar Support Adjustment	–	●	–
Driver's Seat – 8 Way Electronic Adjustment, 4 way Lumbar Support Adjustment, Memory Function and Heating/Cooling and Massage Function	–	–	●
Front Passenger Seat – 4 Way Manual Adjustment	●	–	–
Front Passenger Seat – 4 way Electronic Adjustment, 4 way Lumbar Support Adjustment	–	●	–
Front Passenger Seat – 4 way Electronic Adjustment, 4 way Lumbar Support Adjustment and Heating/Cooling and Massage Function	–	–	●
2nd Row – 2 Individual Seats with Manual Adjustment	●	–	–
2nd Row – 2 Individual Seats, 4 Way Electronic Adjustment, 4 Way Lumbar Support Adjustment, Heating/Cooling Function, Footrest	–	●	–
2nd Row – 2 Captain Chairs, 4 way Electronic Adjustment, 4 way Lumbar Support Adjustment, Heating/Cooling Function, 8-Mode Massage and Recline Function, Footrest, Built-in Tray Tables	–	–	●
3rd Row – 60:40 Split Fold 3-Seat Bench Seat with Manual Recline/Sliding	●	●	●
Child Seat anchoring – ISOFIX & Top Tether x 3	●	●	●

● = Standard

### Audio and Communication

	MODE	EXECUTIVE	LUXE
12.3" Infotainment Display and 7" Driver's Digital Display	●	●	●
Apple CarPlay®/Smartphone Connectivity	●	●	●
6 Speaker Sound System	●	–	–
8 Speaker Sound System	–	●	–
12 Speaker Sound System	–	–	●
Bluetooth	●	●	●
USB Ports (3 x Front, 2 x 2nd Row, 2 x 3rd Row)	●	●	●
Wireless Mobile Charging Pad	–	●	●

### Warranty/Roadside Assist <sup>6</sup>

New Vehicle Warranty – 5 Year/160,000km (whichever occurs first) <sup>6</sup>	●	●	●
Roadside Assist – 5 Year/Unlimited km (whichever occurs first) <sup>6</sup>	●	●	●
Battery Warranty – 8 Year/200,000km (whichever occurs first) <sup>6</sup>	●	●	●

#### Disclaimers:

3. Payload and tare weight figures are based on vehicle certification. It is the driver's responsibility to ensure: weight of fully loaded vehicles do not exceed GVM; front and rear axle load limits are not individually exceeded; the combined weight of the fully loaded vehicle (including tow ball download when towing) and trailer does not exceed the GCM; compliance to State and Territory towing regulations. Payload is the combined value of occupants, luggage, cargo, added options, accessories and tow ball download (when towing). Tare weight includes the vehicle and all standard equipment excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload and tare weight. When a genuine tow bar and wiring are fitted, blind spot monitoring will be disabled.
4. Safety technologies may not operate optimally under all driving conditions, operation and effectiveness depends on many factors. Driver is responsible for safe and attentive driving. Safety technologies are not a substitute for the driver's control over the vehicle. See owner's manual for complete details.
5. Leather accented features and upholstery contain some synthetic materials.
6. Subject to terms, conditions and exclusions on [ldvautomotive.com.au](http://ldvautomotive.com.au)

All information in this document is correct at time of publication however variations may occur from time to time and Ateco Automotive Pty Ltd insofar as is permitted by law to do so, shall not be liable in any way as a result of any reliance by any person on anything contained in this document.



Find your nearest dealer at **[ldvautomotive.com.au](https://ldvautomotive.com.au)**  
to arrange a quote or book a test-drive.

Ateco Automotive Pty Ltd ABN 34 000 486 706

All the information in this document is correct at time of publication however variations may occur from time to time and Ateco Automotive Pty Ltd insofar as is permitted by law to do so shall not be liable in any way as a result of any reliance by any person on anything contained in this document.



**LDV**

[ldvautomotive.com.au](https://ldvautomotive.com.au)

Ateco Automotive ABN 34 000 486 706

February 2025 / 14294 / LDV0257