

DELIVER 9

CAB CHASSIS



SPECIFICATIONS SHEET



**BRING
IT ON.**

LDV DELIVER 9 CAB CHASSIS – TECHNICAL SPECIFICATIONS

LDV DELIVER CAB CHASSIS

LONG WHEELBASE / EXTRA LONG WHEELBASE

Engine

Type	2.0L turbo diesel engine
Maximum Power (kW/rpm)	128kW @ 3500rpm
Maximum Torque (Nm/rpm)	420Nm @1500-2400rpm
Displacement	1996cc
Compression Ratio	15.9 : 1
No. of Valves	16
No. of Cylinders	4
Bore x Stroke (mm)	83 x 92
Emissions Standard	Euro VI
Eco/Power Mode	●
Engine Stop/Start System	●
Drive	Rear Wheel Drive

Transmission

Type	8 speed ZF automatic
------	----------------------

Fuel

Fuel Tank (Litres)	80
AdBlue Tank (Litres)	20

● = Standard

LONG WHEELBASE / EXTRA LONG WHEELBASE

Steering & Handling

Steering	Electric power steering
Front Suspension	MacPherson Independent
Rear Suspension	Leaf Spring
Wheels & Tyres	16" steel wheels with full size spare 195/75R16C tyres
Rear Wheel Type	Dual Rear Wheels

Brakes

Front Brakes	Ventilated front disc brakes
Rear Brakes	Ventilated rear disc brakes

Exterior Colour



LDV DELIVER 9 CAB CHASSIS – STANDARD EQUIPMENT


LDV DELIVER CAB CHASSIS

	LONG WHEELBASE		EXTRA LONG WHEELBASE	
	2 SEATER	3 SEATER	2 SEATER	3 SEATER

Dimensions

Length (mm)	6200		6680	
Width – including mirrors (mm)	2466			
Height (mm)	2320			
Wheel base (mm)	3760		4048	
Turning circle (m)	14.2		15.2	
Gross vehicle mass (kg)	4495			
Front axle capacity (kg)	1925	1753	1708	1745
Rear axle capacity (kg)	2835	2787	2922	2859
Payload (kg) ¹	2330	2310	2300	2280
Kerb weight (kg) ¹	2090	2110	2120	2140
Braked towing capacity (kg)	2800			
Unbraked towing capacity (kg)	750			
Gross Combined Mass (kg)	6000			

Dimensions



LDV DELIVER 9 CAB CHASSIS – STANDARD EQUIPMENT

LDV DELIVER CAB CHASSIS

LONG WHEELBASE /
EXTRA LONG WHEELBASE

Safety and Security Features²

Emergency Lane Keeping (ELK)	●
Lane Departure Warning (LDW)	●
Anti Skid Braking System (ABS)	●
Electronic Stability Program (ESP)	●
Electronic Brake Force Distribution (EBD)	●
Brake Assist System (BAS)	●
Hill Hold Assist (HHA)	●
Autonomous Emergency Braking (AEB) with Pedestrian & Cyclist Collision Mitigation	●
Adaptive Cruise Control	●
Front parking sensors	●
Driver and front passenger front, side and curtain airbags	●
Remote central locking	●

LONG WHEELBASE /
EXTRA LONG WHEELBASE

External Features

Power and electric heated side mirror with turn signals	●
Fog lights – Rear	●
Fog lights – Front	●

Interior Features

Air conditioning – Front	●
Multifunction steering wheel	●
Auto Wipers – Rain Sensing	●
Electronic Park Brake	●
Power windows (front)	●
8 way adjustable driver's seat with fold down armrest	●
Available in 2 or 3 seater	●
Overhead storage compartments	●
Driver and front passenger deep door pockets	●
12.3" Infotainment Display with Bluetooth, FM/AM/MP3 Player, Apple CarPlay™ & Android Auto™, DAB Radio	●
4.2" LCD instrument cluster	●
USB port	●

● = Standard

LDV DELIVER CAB CHASSIS

LONG WHEELBASE /
EXTRA LONG WHEELBASE

Warranty

7 year/200,000km ⁴ Warranty (Whichever occurs first)	●
3 year ⁴ Roadside Assist	●

Disclaimers:

1. The listed payload, tare weight, Gross Vehicle Mass (GVM), Gross Combination Mass (GCM), and axle load limits are maximum capacities determined prior to the installation of any body builds or aftermarket modifications. Final payload and tare weight will vary. Payload and tare weight figures are based on vehicle certification. It is the driver's responsibility to ensure: weight of fully loaded vehicles do not exceed GVM; front and rear axle load limits are not individually exceeded; the combined weight of the fully loaded vehicle (including tow ball download when towing) and trailer does not exceed the GCM; compliance to State and Territory towing regulations. Payload is the combined value of occupants, luggage, cargo, added options, accessories and tow ball download (when towing). Tare weight includes the vehicle with 10 litres of fuel and all standard equipment excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload and tare weight. When a genuine tow bar and wiring are fitted, blind spot monitoring will be disabled.
2. Safety technologies may not operate optimally under all driving conditions, operation and effectiveness depends on many factors. Driver is responsible for safe and attentive driving. Safety technologies are not a substitute for the driver's control over the vehicle. See owner's manual for complete details.
3. Terms, conditions and exclusions apply. The Capped Price Servicing Program is available to retail customers and fleet and business customers nominated by LDV Automotive. Rental, government, and motorhome purchases are excluded. For full terms, conditions and exclusions please see ldvautomotive.com.au. LDV Automotive reserves the right to at any time modify or discontinue the Capped Price Servicing program.
4. Subject to terms, conditions and exclusions on ldvautomotive.com.au

All information in this document is correct at time of publication however variations may occur from time to time and Ateco Automotive Pty Ltd insofar as is permitted by law to do so, shall not be liable in any way as a result of any reliance by any person on anything contained in this document.

● = Standard



Find your nearest dealer at [ldvautomotive.com.au](https://www.ldvautomotive.com.au)
to arrange a quote or book a test-drive.

Ateco Automotive Pty Ltd ABN 34 000 486 706

All the information in this document is correct at time of publication however variations may occur from time to time and Ateco Automotive Pty Ltd insofar as is permitted by law to do so shall not be liable in any way as a result of any reliance by any person on anything contained in this document.



LDV
ldvautomotive.com.au

Ateco Automotive ABN 34 000 486 706

APRIL 2026 / 14546 / LDV0386 / v2