layout diagrams

closed transport

You have a wide range of different needs, which can be met by the wide range of interior fittings and length x height combinations of Renault Master, with a load volume of from 8 m³ to 17 m³.







front-wheel drive panel van

rear-wheel drive panel van

front-wheel drive platform cab

dimensions


Dimensions (mm)										
Model	SWB FWD MT Pro	SWB FWD AT Pro	MWB FWD MT Pro	MWB FWD AT Pro	LWB FWD MT Pro	LWB FWD AT Pro	LWB RWD MT Pro	ELWB RWD MT Pro	Platform Cab	
Wheelbase	3,182		3,0	3,682 4,332			3,682	4,	4,332	
Front Track					1,750					
Rear Track			1,7	'30			1,0	612	1,730	
Overall Height (Unladen)	2,3	310	2,4	199	2,4	188	2,549	2,808	2,264	
Overall Width (excl. Standard Door Mirrors)				2,0	070				2,100	
Overall Width (incl. Standard Door Mirrors)					2,470					
Overall Length	5,0	75	5,5	575		6,225		6,875	6,207	
Maximum Cargo Bay Length	2,5	83	3,0	083		3,733		4,383	-	
Maximum Cargo Bay Width				1,7	765				-	
Cargo Bay Width Between Wheel Arches			1,3	80			1,0	080	-	
Maximum Cargo Bay Height	1,7	00		1,8	394		1,798	2,048	-	
Front Overhang					869					
Rear Overhang			1,0)24			1,0	574	1,006	
Loading Sill Height (Laden/Unladen)	Min: 550 /	Max: 564	Min: 548	/ Max: 562	Min: 543	/ Max: 557	Min: 706	/ Max: 724	-	
Minimum Ground Clearance	21	18		2	14		213	214	٨	
Width of Sliding Door(s)	10	50			12	70			-	
Height of Sliding Door(s)	1,5	81		1,7	780		1,6	584	-	
Rear Door Width				1,5	580				-	
Rear Door Height	1,6	27		1,8	320		1,7	724	-	

 $^{{\ }^{\}wedge}$ Platform Cab dimensions and weights dependant on body builder.


Body builders are responsible for ensuring that Master Platform conversions meet the standards set out in the Renault Master Technical Conversion Guide. For more information visit $\frac{https://www.conversion.renault.com/}{https://www.conversion.renault.com/}$ or contact your local Renault dealer.

dimensions

front-wheel drive panel van




rear-wheel drive panel van



dimensions

Platform Cab



technical specifications

Model		SWB FWD 120kW MT	SWB FWD 110kW AT	MWB FWD 120kW MT	MWB FWD 110kW AT	LWB FWD 120kW MT	LWB FWD 110kW AT	LWB RWD 120KW MT	ELWB RWD 120KW MT	Platform Cab 110kW AT
Seating Capacity					3					2
Engine & Transmission										
Туре						2.3L Diesel				
Capacity (cc)						2,299				
Number of Cylinders/Valve	es					4/16				
Bore x Stroke (mm)						85 x 101.3				
Maximum Power (kW @ rp	m)	120 @ 3500	110 @ 3500	120 @ 3500	110 @ 3500	120 @ 3500	110 @ 3500	120 (බු 3500	110 @ 3500
Maximum Torque (Nm @ r	pm)	360 @ 1500	350 @ 1500	360 @ 1500	350 @ 1500	360 @ 1500	350 @ 1500	360	@ 1500	350 @ 1500
Fuel Type						Diesel				
Fuel Injection Type		Twin-Turbo & Intercooled Direct Injection Diesel	Turbocharged & Intercooled Direct Injection Diesel	Twin-Turbo & Intercooled Direct Injection Diesel	Turbocharged & Intercooled Direct Injection Diesel	Twin-Turbo & Intercooled Direct Injection Diesel	Turbocharged & Intercooled Direct Injection Diesel		& Intercooled ection Diesel	Turbocharged & Intercooled Direct Injection Diesel
Туре				6 Speed	d Manual/6 Speed	Automated Manuc	lk			6 Speed Automated Manual
Driven Wheels				Fro	ont			F	еаг	Front
Speeds at 1000 rpm in:	1st gear			6.	75			Ę	5.93	6.75
	2nd gear			12.	.64				11.5	12.64
	3rd gear			20	.36				17.1	20.36
	4th gear			28	3.95			2	3.36	28.95
	5th gear			37	.36			3	0.55	37.36
	6th gear			40	.34			38.22		40.34
Braking, suspension & ste	ering									
Front Braking System (Dia	meter x Thickness -mm)					302 x 28 Disc				
Rear Braking System (Diar	meter x Thickness - mm)			305 x	12 Disc			302>	18 Disc	305 x 12 Disc
Turning Circle - Kerb to Ke	rb (M)	1	2	13	3.6		15.7			۸
Turns Lock-to-Lock						3.8				
Wheels & Tyres										
Wheel Diameter (inches)				6.5	91/16			5.	5 J16	6.5 J16
Tyres (Front)				225/65 R1	16 (Single)			195/75 F	16 (Single)	225/65 R16 (Single)
Tyres (Rear)				225/65 R1	l6 (Single)			195/75	R16 (Dual)	225/65 R16 (Single)
Fuel										
Emission standard						Еиго 5				
Fuel Tank (litres)						100				
Weights (kg)										
Kerb weight (kg)		18	23	18		19	977	2253	2363	۸
Gross vehicle mass (kg)				35					495	3510
Payload (kg)		16	87	16	23		533	2242	2132	۸
Front axle load (max - kg)						1850				
Rear axle load (max - kg)					00				200	2100
Maximum towing weight, I				25	500			3	000	2500
Maximum towing weight,						750				
Maximum towing weight,	download (kg)					200				
Volume m³										
Cargo Bay Load Volume			8	10	0.8		13	12.4	17	-

 $^{^{\}Lambda}$ Platform Cab dimensions and weights dependant on body builder

product features

Model	SWB FWD 120kW MT	SWB FWD 110kW AT	MWB FWD 120kW MT	MWB FWD 110kW AT	LWB FWD 120kW MT	LWB FWD 110kW AT	LWB RWD 120KW MT	ELWB RWD 120KW MT	Platform Cab 110kW AT
PASSIVE SAFETY									
Driver & passenger front airbags	•	•	•	•	•	•	•	•	•
3-Point seat belts w/ pre-tensioner and driver height adjustment	•	•	•	•	•	•	•	•	•
Driver side airbags	•	•	•	•	•	•	•	•	•
Driver seat belt warning	•	•	•	•	•	•	•	•	•
Brake pad wear indicator	•	•	•	•	•	•	•	•	•
Engine immobiliser	•	•	•	•	•	•	•	•	•
ACTIVE SAFETY									
Active Emergency Braking (AEBS) (car to car)	•	-	•	-	•	-	•	•	-
ESC (Electronic Stability Control)	•	•	•	•	•	•	•	•	•
ABS (Anti-Lock Braking System)	•	•	•	•	•	•	•	•	•
EBA (Emergency Brake Assist)	•	•	•	•	•	•	•	•	•
EBD (Electronic Brake Force Distribution)	•	•	•	•	•	•	•	•	•
Cruise control & speed limiter	•	•	•	•	•	•	•	•	•
Grip X-tend	•	•	•	•	•	•	•	•	•
Rear parking sensors	•	•	•	•	•	•	•	•	-
Reversing Camera	•	•	•	•	•	•	•	•	-
Hill Start Assist (HSA)	•	•	•	•	•	•	•	•	•
Blind spot warning	•	•	•	•	•	•	•	•	_
Lane departure warning	•	•	•	•	•	•	•	•	_
EXTERIOR LIGHTING									
Automatic dusk sensing headlights	•	•	•	•	•	•	•	•	•
Front fog lights	opack	opack							
Rear fog lights	•	•	•	•	•	•	•	•	•
CONNECTIVITY & MULTIMEDIA									
MediaNav 7" touchscreen media & navigation system w/ Apple CarPlay® and Android Auto® Smartphone replication^	•	•	•	•	•	•	•	•	•
Multifunction trip computer	•		•	•	•	•	•		•
Bluetooth® hands-free w/ audio streaming^	•	•	•	•	•	•	•	•	•
2x15w MP3 - FM/AM radio w/ steering mounted controls	•	•	•	•	•	•	•	•	•
USB Audio input & 3.5mm Aux jack	•	•	•	•	•	•	•	•	•
12v Auxilliary power outlet	•	•	•	•	•	•	•	•	•
CONVENIENCE									
Remote central locking	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•
Auto-door lock when driving 2-button foldable key	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
One-touch door locking									
Keyless entry system	o pack •	opack	opack	o pack •	opack	opack	o pack •	opack	opack
Variable speed windscreen wipers		•	•		•	•		•	•
Automatic rain sensing wipers	•	•	•	•	•	•	•	•	•
Manual height adjustable headlights		•		•	•	•	•	•	•
Automatic high/low beam function	•	•	•						-
Rear window demister	•			•	•	•	•	•	
Coat hooks (x3)	•	•	•	•	•	•	•	•	-
Digital clock w/ air temp display	•	•	•	•	•	•	•	•	•
Day/night rear view mirror	•	•	•	•	•	•	•	•	•
Wide view mirror	•	•	•	•	•	•	•	•	•
Overhead storage shelf	•	•	•	•	•	•	•	•	•
Large dashboard storage compartment	•	•	•	•	•	•	•	•	•
6 x Cup holders (dash x 2, console x 2, seat back x 2)	•	•	•	•	•	•	•	•	•

Model	SWB FWD 120kW MT	SWB FWD 110kW AT	MWB FWD 120kW MT	MWB FWD 110kW AT	LWB FWD 120kW MT	LWB FWD 110kW AT	LWB RWD 120KW MT	ELWB RWD 120KW MT	Platform Cab 110kW AT
Electric front windows	•	•	•	•	•	•	•	•	•
Start&Stop (idle stop - programmable)	•	-	•	-	•	-	•	•	-
ECO mode	•	-	•	-	•	-	•	•	-
ESM (Energy Smart Management)	•	•	•	•	•	•	•	•	•
Eaton® automatic differential lock	-	-	-	-	-	-	0	0	-
Gear shift indicator	•	•	•	•	•	•	•	•	•
COMFORT									
Height, reach & lumbar adjustable driver's seat w/ armrest	•	•	•	•	•	•	•	•	•
Isringhausen® Driver's suspension seat (n/a w/ driver side airbag)	0	0	0	0	0	0	0	0	0
Dual passenger bench seat w/ fold down centre seat & seat back table	•	•	•	•	•	•	•	•	0
Power steering	•	•	•	•	•	•	•	•	0
Height adjustable steering column	•	•	•	•	•	•	•	•	•
Height, reach & lumbar adjustable single passenger seat w/ side airbag	0	0	0	0	0	0	0	0	•
Front head rests x 3 (2 height adjustable)	•	•	•	•	•	•	•	•	•
Manual air conditioning w/ pollen filter	•	•	•	•	•	•	•	•	•
INTERIOR STYLING									
Two-tone grey cloth upholstery	•	•	•	•	•	•	•	•	•
Premium dashboard with chrome trims	opack								
EXTERIOR STYLING									
Wheel diameter (inches)	6.5 J16	5.5 J16	5.5 J16	6.5 J16					
Tyres	225/65 R16 (SINGLE)			225/65 R16 (SINGLE)					
Tyres (Front)							195/75 R16 (SINGLE)	195/75 R16 (SINGLE)	
Tyres (Rear)							195/75 R16 (DUAL)	195/75 R16 (DUAL)	
Tinted windows	•	•	•	•	•	•	•	•	•
Halogen headlights	•	•	•	•	•	•	•	•	•
Front LED daytime running lights	•	•	•	•	•	•	•	•	•
Body side protection mouldings	•	•	•	•	•	•	•	•	•
Integrated front bumper step	•	•	•	•	•	•	•	•	•
Integrated rear bumper step	opack	opack	0 pack	0 pack	opack	opack	•	•	-
Left sliding door - unglazed	•	•	•	•	•	•	•	•	-
Right & left sliding doors - unglazed	0	0	0	0	0	0	0	0	-
Left sliding door , right panel - glazed	0	0	0	0	0	0	0	0	-
Rear 180 barn doors - glazed	•	•	-	-	-	-	-	-	-
Rear 270 barn doors - glazed	-	-	•	•	•	•	•	•	-
Front & rear mud flaps	•	•	•	•	•	•	•	•	•
16" steel wheel - with small hub caps	•	•	•	•	•	•	•	•	•
Spare wheel (under body)	•	•	•	•	•	•	•	•	•
Exterior chrome trims	opack	opack	opack	opack	opack	opack	0 pack	opack	opack
Electric adjustable door mirrors w/ wide angle blind spot mirror	•	•	•	•	•	•	•	•	•

^ compatability may vary depending on phone features and specifications are subject to change without notice.

 $Specs and features \ listed \ are \ applicable \ to \ MY23 \ Master \ Van \ and \ Platform \ Cab \ variants. \ Confirm \ specification \ of your \ vehicle \ with \ your \ dealer \ prior \ to \ ordering.$

^{• =} Standard; O = Factory Option; - = Not available

product features

Model	SWB FWD 120kW MT	SWB FWD 110kW AT	MWB FWD 120kW MT	MWB FWD 110kW AT	LWB FWD 120kW MT	LWB FWD 110kW AT	LWB RWD 120KW MT	ELWB RWD 120KW MT	Platform Cab 110kW AT
CARGO AREA									
Mid-height wooden cargo bay lining	-	-	•	•	•	•	•	•	-
Full height wooden protection lining	0 pack	opack	opack	opack	opack	opack	opack	0 pack	-
Anti slip timber floor	o pack	opack	opack	o pack	opack	opack	opack	o pack	-
Interior cargo bay light	•	•	•	•	•	•	•	•	-
LED cargo bay lighting	o pack	opack	-						
12V Aux power outlet	•	•	•	•	•	•	•	•	-
Steel bulkhead - glazed	•	•	•	•	•	•	•	•	•
Cargo tie downs	•	•	•	•	•	•	•	•	-
Grab handle at all entrances	•	•	•	•	•	•	•	•	-
OPTIONS									
Trade Pack - Timber floor w/ anti slip finish - Full height ply side protection lining - LED cargo bay lighting	opack	-							
Business Pack - Premium dahsboard with chrome trims - Exterior chrome trims - Front fog lights - Hands-free entry system	0 pack	opack	opack						
Single Options									
Left & Right Sliding doors - Glazed (N/A with Trade Pack)	0	0	0	0	0	0	0	0	-
Right sliding door	0	0	0	0	0	0	0	0	-
Isringhausen® Driver suspension seat - no driver side airbag (N/A with single passenger seat)	0	0	0	0	0	0	0	0	0
Single passenger seat - dual side airbags (N/A with driver suspension seat)*	0	0	0	0	0	0	0	0	•
Passenger bench seat**	•	•	•	•	•	•	-	-	0
Differential lock (RWD only)	-	-	-	-	-	-	0	0	-
Smart rear view mirror	0	0	0	0	0	0	0	0	-
Full wheel covers	-	-	-	-	-	-	-	-	0
WARRANTY									
5 Years / 200,000 km	•	•	•	•	•	•	•	•	•

 \bullet = Standard; \circ = Factory Option; - = Not available features and specifications are subject to change without notice

Specs and features listed are applicable to MY23 Master Van and Platform Cab variants. Confirm specification of your vehicle with your dealer prior to ordering.

^{*} Standard on Platform Cab

^{**} Standard on Van

 $^{{}^{\}Lambda}$ Platform Cab dimensions and weights dependant on body builder



For more information visit renault.com.au

For more information, call 1800 009 008 or visit www.renault.com.au. Details are correct at the time of publication and are subject to change. Vehicles depicted in this brochure are overseas models and are shown for illustration purposes only; Australian vehicles may differ in features, specifications, equipment, accessories and/or colour. RVDA Pty Ltd reserves the right to discontinue or change its models at its discretion and without prior notice, including features, specifications, equipment, accessories available and colour. The colours in the photographs may vary from actual colours. Please consult your Renault dealer for the latest information on models, features, specifications, prices, options and availability. Publication date - November 2023. RVDA Pty Ltd, 2A Hill Road, Lidcombe NSW 2141.